

nola®



Cane Park Bench

Design Broberg & Ridderstråle


The beauty of this design can be found in the details and in its ability to enhance the surroundings. The Cane Park Sofa has elegant details and a new take on the classic wooden rib seat. Cane seats two and is suitable for both small spaces and large-scale environments. An attachable tabletop can be ordered separately. Cane has been environmentally certified by Bygghälsöcertifieringen (the Swedish Building Products Assessment Association).

Can be treated with Protega Novatherm fire protection, which is a waterborne fire protection paint, for products which, for example, will be placed in connection with escape routes and entrances.

CERTIFICATION



Can be treated with fire protection



Dimensions and weight

Length: 140 cm

Height: U19-05 = 96 cm / U19-06 = 105 cm. Bordshöjd-Tabletop height = 74 cm

Armrest height: U19-05A = 71 cm / U19-06A = 71.5

Sitting height: 47 cm

Ø: 30 cm tabletop

Depth: U19-05 = 80 cm / U19-05A = 80 cm / U19-06 = 71 cm / U19-06A = 71 cm / U19-06M = 71 cm

U19-05 Vikt: 42 kg

U19-06 Vikt: 39 kg

Individual dimensions

Leg construction in square tube 30 x 20 mm

Rolled seat bracket in 5 mm sheet metal

Dimension wood 30 x 30 mm

Product numbers and combinations

U19-05 Cane sloping backrest version, no armrests, 140 cm length

U19-05A Cane sloping backrest version, with armrests, 140 cm length

U19-07GBORDH Right tabletop for Cane U19-05 (installed on right-hand side when seated)

U19-07GBORDV Left tabletop for Cane U19-05 (installed on left-hand side when seated)

U19-07GBORDM Centre tabletop for Cane U19-05 (support bracket included)

U19-06 Cane upright version without armrests, 140 cm length

U19-08BORDH Right tabletop for Cane U19-06 (installed on right-hand side when seated)

U19-08BORDV Left tabletop for Cane U19-06 (installed on left-hand side when seated)

U19-08BORDM Centre tabletop for Cane U19-06 (support bracket included)

U19-06M Cane upright version, no armrests, ground-mounted, 140 cm length

U19-06MA Cane upright version with armrests, ground-mounted, 140 cm length

B11-06 Additional fee for choosing a non-standard colour

Append to product number

WOOD AND FINISH

SIOO for sioo:x treatment oak.

ACC for accoya.

METAL SURFACE FINISH

C for any color of steel, at an additional cost.

VARIANTS

Fixed stand that is cast into the ground (upright Cane only).

For armrests for this model contact us at Nola.

Can be treated with fire protection, at additional cost.

For fire protection treatment contact Nola.

INSTALLATION TYPE

N for surface mount.

M for in-ground.

Standard colours



RAL 7011

Materials and surface treatments

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Accoya

Accoya® wood is the result of more than 80 years of research and development into modifying wood through an acetylation process. Accoya® wood is Radiata pine, a fast-growing wood virtually free of knots that is harvested from renewable FSC-certified forests. Accoya® wood has properties that match or exceed those of tropical woods and the treatment process is non-toxic. The pale wood will turn grey over time and may develop dark spots over time. Accoya® can withstand humid and rainy environments very well and expands/contracts less than other tropical-type woods.

SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Maintenance

SiOO:X treatment oak

Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). Directly after a product has been installed, it should be treated once more with Sioo:x Premium Surface Protection Altan for best durability. After that, every 12 months. The surface protection forms a wear surface, which means that products that are exposed to severe mechanical wear may need to be treated more often than every ten years. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the Sioo treatment see the website www.sioox.se.

Accoya

Accoya is maintenance-free and does not require any special treatment to preserve its unique properties. If black spots should appear on the wood from pollution in the air, these are easily removed with any kind of furniture wash.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

Versions

Cane is available with a sloping backrest or with an upright backrest. Cane is also available as an upright double-sided backed bench.

Character

Cane is a contemporary bench characterised by classic elegance. Cane is a perfect choice for environments that are short on space, yet big on style.

Designers

Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.

