nola




Cane Europa Park Bench

Design Broberg & Ridderstråle

Cane Europa is a striking complement to the existing Cane outdoor bench. This version is more robust, crafted in heavy-duty proportions that withstand wear and tear and exposure in locations such as station platforms, waterside piers and open landscapes. Like the original version, Cane Europa is designed with classic wooden ribs that form the contouring seat and backrest. Proportioned as a two-seater, Cane Europa can be placed individually, positioned back-to-back or aligned in rows to create a longer seat. An optional tabletop is available, as well as armrests that meet accessibility requirements. Cane Europa is environmentally certified by the Swedish Building Materials Assessors.

CERTIFICATION

B BYGGVARU BEDÖMNINGEN



Dimensions and weight

Length: 140 cm Width: 102 cm Height: 82 cm Vikt: 40 kg

Product numbers and combinations

U19-08 Cane Europa

Append to product number

WOOD AND FINISH

LIN for linax impregnated pine.

METAL SURFACE FINISH

RAL 6021

C for any color other than standard, starting cost is added.

VARIANTS

AM - Armrest middle.

AH - Armrest right.

AV - Armrest left.

Standard colours

RAL 6021

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Linax

After traditional impregnation according to NTR AB, the wood is boiled in a hot linseed oil with or without color pigments under vacuum. The oil is penetrated into the surface on all six sides, which reduces moisture absorption in the wood and gives a dimensionally stable product over time. The result is a dried product with good resistance to rot that also has long maintenance intervals. Linaximpregnated furniture is intended for outdoor environments only.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Maintenance

Linax impregnated pine

Linax is a linseed oil-based impregnation that provides extra long durability in outdoor environments and corresponds to impregnation class AB. The impregnated wood turns gray over time, which means that it should be re-oiled if necessary. Use a linseed-based oil for impregnated materials.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Designers

Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.

