

nola®



Kyparn Furniture Group

Design Johannes Norlander

The Kyparn table and chairs make outdoor dining easy and chic. The group includes a lightweight stackable chair, a choice of tables, a candlestick and a menu holder. The products are made to withstand year-round weather, each one is zinc electroplated and powder-coated with a soft sheen. A recess in the centre of the table is designed to hold a candle, while a ring underneath the tabletop functions as a locking device and a hook for bags.

CERTIFICATION

Produkt listad i
Svanens Husportal  **SundaHus**

Dimensions and weight

Kyparn table

Small Bordet

Tabletop diameter: Ø 42 cm

Height: 74 cm

Base diameter: Ø 25 cm

Weight: 9 kg

Large Bordet

Tabletop diameter: Ø 60 cm

Height: 74 cm

Base diameter: Ø 35 cm

Weight: 12 kg

Individual dimensions

The tabletop is 4 mm thick. The base is 10 mm thick. Center leg Ø 20 x 5 mm

The supporting post's diameter is 20 mm x 5 mm

The menu-holder weighs 0.3 kg

The tray weighs 0.23 kg

The candleholder weighs 0.36 kg

Kyparn chair

Width: 49 cm

Height: 77 cm

Armrest height: 70 cm

Sitting height: 45,5 cm

Depth: 54 cm

Vikt: 5 kg

Individual dimensions

The solid steel thread steel in the frame: 10 mm

Legs: 15 mm x 1 mm

The seat is made from steel plate: Thickness: 1.5 cm

Product numbers and combinations

B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

U11-41 Kyparn table Ø 42 cm

U11-46 Kyparn table Ø 60 cm

U11-42 Kyparn candle-holder

U11-43 Kyparn menu holder

U11-44 Kyparn tray

U11-40 Kyparn chair

U11-45 Seat in polyurethane

Append to product number


METAL SURFACE FINISH

V for white RAL 9010.

A for anthracite RAL 7016.

C for any color other than standard, starting cost is added.

Standard colours



Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing, coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Fully assembled.

Maintenance

Finstruktur SK 1. Pulverlack går att beställa på sprayflaska.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The tables are available in two different sizes and can be accessorised by a tray, candlestick and menu holder.

Character

The Kyparn furniture group is designed for outdoor dining. Made to withstand the test of all year weather, a lustrous powder-coating gives the Kyparn group a soft sheen.

Designers

Johannes Norlander



