


nola®



Arki Litterbin

Design Jessing

Arki is an efficient design, created in a durable, streamlined form that is easy to maintain. Whether attached to a wall or fastened to a post, Arki can cope with a crush of human traffic and significant amounts of use. The litterbin's lockable design adds security while still being easy to unlock and empty. Not available for export.



Dimensions and weight

Width: 52 cm

Height: 61 cm

Depth: 25 cm

Vikt: 28 kg

Height including ground-mounted post: 111 cm.

Volume: 90 liters.

Post: 24 cm x 12 cm.

Product numbers and combinations

Ö71-00VM - Arkki papperskorg varmförzinkade inklusive markfast stativ.

Ö71-00PM Arkki papperskorg varmförzinkad och pulverlackerad.

RAL 7021 struktur standard inklusive markfast stativ.

Ö71-01V Papperskorg Arkki varmförzinkad väggfast.

Ö71-01P Papperskorg Arkki varmförzinkad och pulverlackerad i RAL 7021, väggfast.

U19-38 Startkostnad valfri färg.

Append to product number

INSTALLATION TYPE

M for in-ground.

V for mounted to wall.

Standard colours



RAL 7021

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

In-ground

Cast in ground.

Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Some assembly required.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

Character

A streamlined, lockable litterbin made to withstand a significant amount of use. Arki is a good choice for areas with large volumes of human traffic.

Designers

Jessing
