

nola®



Scatter Bench

Design Louise Hederström

The bench's crisp outlines are reminiscent of autumn leaves scattering in the wind. The shapes create a rich pattern that forms Scatter's surface. As light passes through the bench, shadows form on the ground beneath it. Almost like camouflage, the shadows transform familiar elements of the natural world into a unique surface.

Dimensions and weight	<p>Length: 100 cm (scatter) och 150 cm (scatter max)</p> <p>Width: 47 cm</p> <p>Sitting height: 45 cm (scatter) alt 53 cm (scatter max)</p> <p>Vikt: 11 kg</p> <p>Individual dimensions</p> <p>2,5 mm laser cut sheet steel.</p>
Product numbers and combinations	<p>U22-14 Scatter</p> <p>U22-15 Scatter Max</p> <p>B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.</p> <p>Append to product number</p> <p>METAL SURFACE FINISH</p> <p>V for white ivoire blanche.</p> <p>A for antracite Noir 200 Sablé.</p> <p>C for stand any color other than standard, starting cost is added.</p> <p>INSTALLATION TYPE</p> <p>N for surface mount.</p>
Standard colours	<div> <div data-bbox="555 1019 587 1048" style="display: inline-block; width: 15px; height: 15px; background-color: white; border: 1px solid black; margin-right: 5px;"></div> <div data-bbox="590 1019 686 1048">RAL 9010</div> </div> <div> <div data-bbox="555 1052 587 1081" style="display: inline-block; width: 15px; height: 15px; background-color: black; border: 1px solid black; margin-right: 5px;"></div> <div data-bbox="590 1052 758 1081">Noir 2200 Sablé</div> </div>
Materials and surface treatments	<p>Steel</p> <p>Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.</p> <p>Powder coating</p> <p>Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.</p> <p>Electrogalvanized</p> <p>Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.</p>
Assembly and placement	<p>Freestanding</p> <p>Freestanding product that is placed directly on the ground.</p> <p>Surface mount</p> <p>Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.</p> <p>Assembled.</p>
Maintenance	

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Grey or white.

Long or short.

Character

The shapes of wind-swept autumn leaves inspired this bench, which combines the structure and surface in one single form.

Designers

Louise Hederström

