nola



Vejby Table


Design Peter Brandt


Vejby table is part of the furniture group Vejby. The table has a good weight and stability, which makes it useful in most environments. The narrow wood in the table provides good water drainage.

Can be treated with Protega Novatherm fire protection, which is a waterborne fire protection paint, for products which, for example, will be placed in connection with escape routes and entrances.

CERTIFICATION

Produkt listad i Svanens Husportal B BYGEVARU SEDOMNINGEN S Sunda Hus





Dimensions and weight

Length: 180 cm Width: 79 cm Height: 73,5 cm

Individual dimensions

Wood components: 32 x 68 mm Frame thickness: 56 mm

The feet are equipped with plastic paws

Product numbers and combinations

U16-48G Vejby table, glazed pine, light gray

Append to product number

WOOD AND FINISH

C for any color other than standard, at additional cost.

VARIANTS

Can be treated with fire protection, at additional cost.

For fire protection treatment contact Nola.

INSTALLATION TYPE

N for surface mount.

Standard colours

NCS S 2502-Y

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

The table is delivered in larger parts. Table top and legs. These are mounted with a pin bolt, screw head and edge pin that are included in the delivery.

Maintenance

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

 $\frac{\text{Read more in our general maintenance advice at nola.se/en/care-and-maintenance}}{\text{maintenance}}$

Versions

Available in grey-glazed pine.

Character

Vejby's solid wooden frame and sturdy slats give the furniture stability and strength, while the angled backrest and wide seat make the bench and armchair comfortable to sit in.

Designers

Peter Brandt

Peter Brandt is a designer and interior architect living in Stockholm. Educated at Kungliga Konsthögskolan, the Konstfack University College of Arts in Stockholm, Crafts and Design, and Kunstakademiets Arkitektskole in Cophenhagen. He has received several awards over the years as $Excellent\ Swedish\ Design$ and is represented at the Nationalmuseum.



