
nola



Fogdarp Bike Stand

Design Anna Kraitz

Designed with practicality in mind, this cycle stand is deliberately streamlined to facilitate use. Sustainable design and environmentally-friendly. The sleekness and simplicity of Fogdarp uses less material than most cycle stands, making it greener to produce. It provides a reliable means of securing cycles, ultimately making them less vulnerable to theft.



Dimensions and weight

Width: 35,2 cm Height: 90 cm Ø: 12 cm Weight 15,5 kg

Product numbers and combinations

Ö04-20S Fogdarp bicycle stand in sand-cast aluminum, black Noir 2200 Sablé

Ö04-20A Fogdarp bicycle stand in sand-cast aluminum, clear lacquered matt

B11-06 Startup cost for powder coating steel in a color other than standard

Append to product number

METAL SURFACE FINISH

S for black.

ALU for clear-lacquered matt aluminium.

C for any color of steel, at an additional cost.

INSTALLATION TYPE

N for surface mount.

M for installation in pre-cast foundations.

Standard colours

Noir 2200 Sablé

Materials and surface treatments

The bicycle stand is made from sand-cast aluminium in Noir 2200 Sablé. Curved Rilsan-treated steel pipe. Pipe in yellow Rilsan as standard.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Recycled sand cast aluminium

Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Maintenance

Sand cast aluminium

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

Powder coated Aluminium

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Versions

S = Black

A = Clear-lacquered matt aluminium

Character

 $\label{lem:conditional} \mbox{Fogdarp's sleekness and simplicity makes it easy to use and sustainable to}$

produce.

Designers

Anna Kraitz

Designer Anna Kraitz har participated in a large number of design exhibitions in Sweden and around the world, including Artipelag, London's design fair 2019 and Nordic Cool in Washington. In 2012 Kraitz received Plaza's award Best Designer of the year and in 2008 she won the Bruno Mathsson award.

Anna Kratiz has been a professor at Beckmans college of design, Capella gården, Carl Malmstensskolan and Konstfack university of Arts, Craft and Design.



