

nola®




## Alta Armchair

Design Andreas Klippinge

Alta is a steel and wood lounge furniture series designed for both outdoor and indoor settings. The series embodies simplicity, inclusiveness, and versatility. With its soft, pillow-like wooden details, Alta exudes an inviting ambiance. Alta offers flexibility and comfort for both solitary relaxation and cozy togetherness with someone special.

What sets Alta apart, as the name suggests, is the ability to elevate (altitude) the furniture by adding perforated screens to the back or sides. This can create a more private atmosphere, allowing users to enjoy the sensation of sitting in the warm spring sun without needing a building to lean against.



**Dimensions and weight**

Width: 87,5 cm  
 Height: 87,5 cm  
 Depth: 72,5 cm

**Product numbers and combinations**

U20-32A Alta Armchair with armrests, without walls

**Append to product number**

**WOOD AND FINISH**

LIN for linax impregnated pine.

EK for oiled oak.

HVE for hardwax-oiled oak (only for indoor use).

For outdoor use, choose between oiled oak or linax impregnated pine. For indoor use, choose hardwax-oiled oak.

**METAL SURFACE FINISH**

RAL 7022

C for any color other than standard, starting cost is added.

**VARIANTS**

AB for armchair with back wall.

ABHV for armchair with back wall and wall on the sides.

**INSTALLATION TYPE**

N for surface mount.

**Standard colours**

- RAL 7022
- Oiled oak

**Materials and surface treatments**

**Pine**

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

### **Oak**

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

### **Linax**

After traditional impregnation according to NTR AB, the wood is boiled in a hot linseed oil with or without color pigments under vacuum. The oil is penetrated into the surface on all six sides, which reduces moisture absorption in the wood and gives a dimensionally stable product over time. The result is a dried product with good resistance to rot that also has long maintenance intervals. Linax-impregnated furniture is intended for outdoor environments only.

### **Wood oil**

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

### **Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### **Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## **Assembly and placement**

### **Freestanding**

Freestanding product that is placed directly on the ground.

### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

## **Maintenance**

### **Oiled oak**

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

### **Linax impregnated pine**

Linax is a linseed oil-based impregnation that provides extra long durability in outdoor environments and corresponds to impregnation class AB. The impregnated wood turns gray over time, which means that it should be re-oiled if necessary. Use a linseed-based oil for impregnated materials.

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### Versions

Alta Armchair is part of Alta furniture series with stool, bench and sofa. Stool and Bench are available both with and without armrests. Armchairs and sofas with armrests are also available with a back wall and/or side walls for screening.

### Designers

---

#### Andreas Klippinge

Andreas Klippinge, a furniture designer from Småland, specializes in sustainable design for industrial manufacturing in furniture, lighting, and everyday objects. He was educated at Linnaeus University in Växjö, Sweden, where he continues to reside and operate his studio. Andreas' design can be described as typical 'of Småland', with an ability to handle resources with extra care. Alta is his first product for Nola, a steel and wood lounge furniture.



