nola



Arkipelag Park bench and bench

Design Fredrik Toller

When Sweco Arkitekter was commissioned by Jernhusen to redesign Centralplan outside Stockholm Central Station, a new line of park benches was installed to the site. The seating made for the site was designed by landscape $architect\ Fredrik\ Toller\ with\ Nola\ chosen\ as\ the\ manufacturing\ partner.\ As\ the\ name\ Arkipelag\ (Swedish\ for\ Nola\ partner)$ 'archipelago') suggests, the seating is conceived as a cluster of small islands. They make space for plants and shrubs and provide a combination of simple bench seats and park bench designs made with back- and armrests.


FEATURES



Designed for accessibility




Can be mounted on wall



Dimensions and weight

U7 Length: 307 cm Width: 68/70 cm.
U8 Length: 207 cm Width: 68 cm.
U9 Length: 107 cm Width: 54 cm.
U11 Length: 207 cm Width: 68 cm.

Product numbers and combinations



FÄRDIGA KOMBINATIONER

U17-90NCU/U7 Archipelago park bench in cumaru wood with frame in black

RAL 9005

U17- Archipelago park bench wall-mounted version in cumaru wood

90MURCU/U8 with frame in black RAL 9005

U17- Archipelago backless bench wall-mounted version in cumaru

91MURCU/U9 wood with frame in black RAL 9005

U17-90NCU/U11 Archipelago park bench in cumaru wood with frame in black

RAL 9005

Append to product number

WOOD AND FINISH

CUM for cumaru.

J for jatoba.

C for other wood other than standard, start-up cost is added.

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

VARIANTS

Arkipelag is also available as a furniture system, which offers a flexible system of benches and sofas that can be combined in many different ways. See Arkipelag Furniture System or assembly instructions for more information.

INSTALLATION TYPE

N for surface mount.

MUR for mounted on top of a wall.

Standard colours



Materials and surface treatments

Jatoba - FSC-certified

Our FSC-labeled Jatoba is an untreated, very hard, and strong hardwood with a long shelf life. It has a brown color with black accent stripes that changes to a deep and rich red color over time.

Cumaru

Cumaru is sometimes called Brazilian Teak and is a hard and durable type of wood. The wood changes in a red/brown shade and does not need surface treatment thanks to its natural properties. Over the years Cumarun ages in a beautiful silver gray tone.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Mounted on top of a wall

Frames are attached on top of concrete or stone walls with expanders or chemical anchors. Seat sections mounted on top of walls are attached to the frames.

Fasteners for mounting on top of walls not included.

Assembled seat and back. Mounted on a stand or on a wall on site.

Maintenance

Jatoba

Jotoba basically requires no maintenance apart from regular wiping down.

Cumaru

Cumaru shifts in a reddish shade and does not need any maintenance thanks to its natural properties. Over the years Cumaru ages into a beautiful silver gray tone.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Versions

Also available as a furniture system with more possibilities.

Designers

Fredrik Toller

