

nola®



Bill Post Community Notice Board


Design Broberg & Ridderstråle

This original design is crafted in the shape of a column, making it easy to see. Bill Post offers a bigger surface area than traditional notice boards. Integrated lighting at the top illuminates the signs, notices and advertisements pinned beneath it. The column's height and distinctive shape draws attention to the notices attached to it, and can provide a meeting point in public areas.

CERTIFICATION

Produkt listad i Svanens Husportal  

 Lighting included



Dimensions and weight

Height: 258 cm
 Ø: Topp: 120 cm Bas: 60 cm
 Vikt: 130 kg

Height: 2.58 m Diameter of top overhang: 1.2 m Diameter at bottom of column: 60 cm

Product numbers and combinations

U10-21 Bill Post notice board with integrated lighting in solid colour varnished oak and lighting unit in Traffic Yellow RAL 1023
B11-06 Additional charge for painting BILL POST steel version in choice of standard RAL colours
B11-07 Additional charge for painting Bill Post wood version in choice of standard RAL colours

Append to product number

WOOD AND FINISH

EK for oiled oak.

SIOO for sioo:x treatment oak.

If nothing is specified after the article number, you will get top-glazed pine in RAL 1023 (yellow).

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

M for installation in pre-cast foundations.

Standard colours

 RAL 1023

Materials and surface treatments

The frame is made from 8 mm steel plate. The lighting fixture is made in 2 mm steel plate. All steel pieces are zinc-electroplated, gold-chromed and polyester powder-coated in standard colour yellow RAL 1023. The cladding is made from pine painted in alkyd oil enamel in standard colour yellow RAL 1023 also for the the lighting unit and overhang. Also available in oiled oak or Sioo treated oak. The lighting is made from LED components with an energy consumption of appr 60W. The lighting unit is protected by a semi-transparent polycarbonate sheet.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

Oil based glaze

Varnishing of wood is done with a oil-based varnish. Under normal use, the paint has a good wear resistance and long durability.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Delivered in pre-assembled parts, final assembly on site.

The product bolts to cast-concrete foundation cast on site.

Maintenance

Oil-based glaze

Products treated with oil-based topcoat must be maintained regularly with alkyd oil paint. Maintenance intervals approx. 1 time per year. Damage and cracks should be repaired immediately. Paint on spray packaging are available in standard colors to order.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

SiOO:X treatment oak

Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). Directly after a product has been installed, it should be treated once more with Sioo:x Premium Surface Protection Altan for best durability. After that, every 12 months. The surface protection forms a wear surface, which means that products that are exposed to severe mechanical wear may need to be treated more often than every ten years. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the Sioo treatment see the website www.sioox.se.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

Character

This notice board is crafted in the shape of a column, making it easy to see from a distance. It offers a bigger surface area than traditional display boards.

Designers

Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.





Teaterlekplatsen in Malmö



