

# nola®



## Blenda Bike Stand

### Design Blenda Design

Blenda is a bicycle stand that can also create a sleek barrier. Bicycles can be securely fastened to the upper portion, with the wheel and frame secured on either side. Blenda's sleek, space-saving shape is an excellent alternative to outdoor bicycle racks in commercial areas, car parks or urban courtyards. Blenda is available with an integrated lighting unit inside.


#### CERTIFICATION



#### FEATURES



Has lighting as option



#### Dimensions and weight

Length: 8 cm  
Width: 8 cm  
Height: 90 cm  
Weight 5,5 kg

Foot plate: 24 x 24 cm.

#### Individual dimensions

Manufactured in aluminum 80 x 80 x 6 mm

#### Product numbers and combinations

Ö03-85 Blenda bicycle post, powder-coated in Jet Black RAL 9005

Ö03-86 Blenda bicycle posts without bolt holes, powder-coated in Jet Black RAL 9005

Ö03-85D LED driver for Blenda bicycle posts with LED light, 230V/100W IP 65 able to power up to 8 bicycle posts

Ö03-85K Cable for Blenda

B11-06 Startup cost for powder coating in a color other than standard

#### Append to product number

##### METAL SURFACE FINISH

S for black RAL 9005.

GS for gray Gris 2900 Sablé.

C for any color other than standard, starting cost is added.

##### VARIANTS

M/LIGHT for Blenda with LED lighting, ground mount.

N/LIGHT for Blenda with LED lighting, attachable foot plate.

##### INSTALLATION TYPE

N for surface mount.

M for in-ground.

#### Standard colours



RAL 9005

Gris 2900 Sablé

#### Materials and surface treatments

### Aluminium

Aluminum is a soft light metal that is silvery to gray in color. Depending on the alloy, aluminum usually has good corrosion resistance. It is common for the aluminum to be extruded into tubes or rolled into a plate in the desired material thickness.

### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## Assembly and placement

### In-ground

Cast in ground.

### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Ground-mounted version delivered fully assembled.

Attachable or foot plate. Attachable 35 cm into the soil. Mounting bolts for M12.

## Maintenance

### Powder coated Aluminium

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Character

Blenda bicycle stand has a sleek, space-saving shape, and is available with integrated light.

## Designers

### Blenda Design

Blenda is a designstudio based in Gothenburg, committed to designing furniture for public spaces. With design that works towards both interiors and urban exteriors, they have participated in many projects in the recent years. The products can be found across Sweden, for example in Stavanger Cultural Center, Museum of Modern Art in Stockholm, Arlanda Airport and Gothenburg City library. The studio is run by landscape architect Katarina Gunnarsson and Ingemar Holmlid.





