


nola®



Bobbo
Recycling bins
Design



Dimensions and weight

Width: 28 / 56 / 84 / 112 cm

Height: 75 cm

Depth: 32 cm

Weight 19,5 kg

Volume: 60 L

Product numbers and combinations

Ö12-51 Innerbehållare för Bobbo Källsorteringskärl för matavfall.

Ö12-52 Bobbo 1 st Källsorteringskärl, 60 liter, fristående. För matavfall.

Ö12-53 Bobbo 1 st Källsorteringskärl, 60 liter, fristående. För restavfall.

Ö12-54 Bobbo 1 st Källsorteringskärl, 60 liter, fristående. För plast.

Ö12-55 Bobbo 1 st Källsorteringskärl, 60 liter, fristående. För pant.

-

Ö12-50/2 Bobbo 2 Recycling bins, 60 liters, freestanding. Optional shape of the insert on the lid.

Ö12-50/3 Bobbo 3 Recycling bins, 60 liters, freestanding. Optional shape of the insert on the lid.

Ö12-50/4 Bobbo 4 Recycling bins, 60 liters, freestanding. Optional shape of the insert on the lid.

Append to product number

METAL SURFACE FINISH

Standardfärg kropp RAL 9006 (ljusgrå) och lock i RAL 9005 (svart).

C för valfri kulör annan än standard, startkostnad tillkommer.

VARIANTS

För dekaler på källsorteringskärlen anges efter artikelnummer:

/MAT

/PANT

/PLAST

/REST

INSTALLATION TYPE

V for mounted to wall.

Standard colours

■ RAL 9005

■ RAL 9006

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement**Freestanding**

Freestanding product that is placed directly on the ground.

Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Maintenance**Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)