


nola®



## Bollnäs chair

### Design Thomas Bernstrand

Bollnäs chair is a classically designed series of chairs that are part of the furniture series Bollnäs. The series was originally designed for Brotorget in Bollnäs, hence the name. Made with a heavy metal undercut and with seat and back washers made of sturdy pine wooden ribs, the furniture is both stable and durable to last over time. At the base of the chairs there are attached loops to easily and discreetly mount the feet in the surface.



#### Dimensions and weight

##### Chair

Width: 51 cm

Depth: 49 cm

Height: 81 cm

Seat height: 46 cm

Armrest height: 64 cm

##### Armchair

Width: 60 cm

Depth: 60 cm

Height: 71 cm

Seat height: 40 cm

Armrest height: 57 cm

##### Child chair

Width: 27 cm

Depth: 33 cm

Height: 54 cm

Seat height: 30 cm

#### Product numbers and combinations

##### Ö19-50

Ö19-51 Bollnäs chair with armrest.

Ö19-52 Bollnäs child's chair.

Ö19-55 Bollnäs armchair

B11-06 Startup cost for powder coating steel in a color other than standard.

Choose a RAL colour.

##### Append to product number

##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

##### VARIANTS

G for yellow RAL 1023 (steel and wood)

GK for steel in yellow RAL 1023 and clear lacquered pine.

R for red RAL 2002 (steel and wood)


RK för red steel RAL 2002 and clear lacquered pine.

GR for steel in Gris 2900 Sablé and clear lacquered pine.

##### INSTALLATION TYPE

N for surface mount.

#### Standard colours



#### Materials and surface treatments

Glulam.

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

##### Freestanding

Freestanding product that is placed directly on the ground.

##### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

#### Maintenance

Använd en matt klarlack för sits och rygg i formpressat limträ.  
Finstruktur SK 1. Pulverlack går att beställa på sprayflaska

##### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

#### Versions

The furniture group consists of an armchair, an easy chair, a chair, a table and a child's chair with a child seat.

#### Examples

Squares, parks, school yards, shopping centers and public places.

#### Character

Classically-proportioned furniture group even for small children.

## Designers

---

### Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

