

nola®



Bollnäs Furniture Group

Design Thomas Bernstrand

Some spaces have their own character, while others need original designs to make them unique. The Bollnäs family consists of an armchair, a side chair and a child's chair, each designed with its own personality. The three sizes are inclusive, reflecting the cycles of life in designs crafted from hardwearing pine and robust metal. The metal parts are available in yellow or red, adding accents of bright colour to the surroundings.

Dimensions and weight

Bollnäs table

Table

Height: 72 cm

Diameter: Ø 67 cm

Child table

Height: 52 cm

Diameter: Ø 45 cm

Bollnäs chair

Chair

Width: 51 cm

Depth: 49 cm

Height: 81 cm

Seat height: 46 cm

Armrest height: 64 cm

Armchair

Width: 60 cm

Depth: 60 cm

Height: 71 cm

Seat height: 40 cm

Armrest height: 57 cm

Child chair

Width: 27 cm

Depth: 33 cm

Height: 54 cm

Seat height: 30 cm

Product numbers and combinations

B11-06 Startup cost for powder coating steel in a color other than standard.
Choose a RAL colour.

Ö19-53/67 Bollnäs table

Ö19-54/45 Bollnäs child's table

Ö19-50 Bollnäs chair

Ö19-51 Bollnäs chair with armrest.

Ö19-52 Bollnäs child's chair.

Ö19-55 Bollnäs armchair

Append to product number

WOOD AND FINISH

LIN for linax impregnated pine.

METAL SURFACE FINISH

RAL 1023 for powder coated steel (yellow)

RAL 2002 for powder coated steel (red)





Gris 2900 Sablé for powder coated steel (grey)

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard colours

-  RAL 2002
-  RAL 1023
-  Gris 2900 Sablé
-  Linax impregnated pine

Materials and surface treatments

Glulam.

Laminated, glued pine.

All metal parts are made from zinc-electroplated, powder-coated steel painted in standard colors: Gris 2900 Sablé, red RAL 2002 and yellow RAL 1023. Other colors available for a start up fee.

Seats and back of the chairs:

Layered and molded pine. Clear lacquered or covered laser, in standard colors yellow RAL 1023 and red RAL 2002. Other colors available for a start up fee.

Table: Layered and molded pine. Clear lacquered or covered laser, in standard colors yellow RAL 1023 and red RAL 2002. Other colors available for a start up fee.

Frame in standard colors Gris 2900 Sablé, yellow RAL 1023 and red RAL 2002. Other colors available for a start up fee.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Linax

Linax is a linseed oil-based impregnation that provides extra long durability in outdoor environments and corresponds to impregnation class AB. The impregnated wood turns gray over time, which means that it should be re-oiled if necessary. Use a linseed-based oil for impregnated materials.

After traditional impregnation according to NTR AB, the wood is boiled in a hot linseed oil with or without color pigments under vacuum. The oil is penetrated into the surface on all six sides, which reduces moisture absorption in the wood and gives a dimensionally stable product over time. The result is a dried product with

good resistance to rot that also has long maintenance intervals. Linax-impregnated furniture is intended for outdoor environments only.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Discreet attachment points in the feet enable the legs to be bolted to the ground.

Maintenance

Form-pressed glulam.

Fine structure SK 1. Powder coating can be ordered in a spray bottle.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Linax impregnated pine

Outdoor furniture requires oiling every 5 years and panel products and roofs require oiling every 12 years. Maintenance should be done with linseed oil varnish. It is important that the wood is clean and dry (max. 20% moisture content) before it is finished with oil. When washing, do not use high-pressure cleaners. Washing should be done with lukewarm water and then rinsed off with a water hose at normal pressure. Strong grease-dissolving agents should not be used, but washing should be done with a mild household detergent. Detergents containing bleach should also not be used.

The oil can be applied with a roller or brush. Too much oil can cause growth on the wood and give a sticky surface. Attacks by growth can also occur if the wood has not been sufficiently dry or cleaned before the oil is applied. Growth does not damage the wood and is relatively easy to remove, but has a tendency to return.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The furniture group consists of an armchair, an easy chair, a chair, a table and a child's chair with a child seat.

Designers

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

