

nola®



## Bornholm Table


Design Møller & Grønborg & NATiON + KSA DESIGN

In collaboration with Danish NATiON + KSA DESIGN and Møller & Grønborg, Nola has developed a neat, small furniture group consisting of a stackable two-seater sofa and a square table.

Bornholm furniture group is environmentally assessed via [Byggvarubedömningen](#) and [SundaHus](#) (oiled mahogany).

CERTIFICATION





**Dimensions and weight**

Length: 66 cm  
 Width: 63 cm  
 Height: 71 cm

**Product numbers and combinations**

**U20-89** Bornholm table

**B11-06** Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

**B11-07** Starting cost for another color of wood. Choose brown or grey for Linax or an NCS color for painted wood. If you want the same color on both steel and wood, choose the RAL color for both.

**Append to product number**

**WOOD AND FINISH**

MH for oiled mahogany.

If no letter is specified after the article number, you will get top-glazed pine.

Enter letter for color powder coating.

C for any other color than standard, start up fee added.

**METAL SURFACE FINISH**

G for green RAL6012.

GR for grey RAL7012.

C for any other color than standard, start up fee added.

**INSTALLATION TYPE**

N for surface mount.

**Standard colours**

■ RAL 6012

■ RAL 7012

**Materials and surface treatments**

**Pine**

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

### **Mahogany - FSC-certified**

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

### **Water-based glaze**

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

### **Wood oil**

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

### **Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### **Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## **Assembly and placement**

### **Freestanding**

Freestanding product that is placed directly on the ground.

### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

## **Maintenance**

Glans 60. Pulverlack går att beställa på sprayflaska.

### **Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

### **Water-based glazed pine**

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

### **Oiled mahogany**

Oiled mahogany should be oiled two times a year.

**[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)**

## **Versions**

Available as sofa and table.

## Designers

---

### Møller & Grønberg



### NATION + KSA DESIGN

