# nola



# Frank Furniture Series

# **Design David Taylor**

The Frank furniture series makes a straightforward statement. Each of the three designs is strongly contemporary while able to complement traditional settings. The products are accessible and inclusive, offering higher seats and longer armrests to provide support for those less able. Crafted in recyclable sand-cast aluminium, Frank combines sustainability and style.

# **CERTIFICATION**

Produkt listad i Svanens Husportal ® BYGGVARU Svanens Husportal

# **FEATURES**

 $\overset{{}_\circ}{\bigcirc}$  Designed for accessibility

# Dimensions and weight

# Frank Park Bench

Length: 160 cm Width: 62 cm Height: 88 cm Sitting depth: 48 cm Weight 38 kg

# Frank armchair

Width: 56 cm Height: 88 cm Sitting height: 48 cm Depth: 62 cm Weight 27 kg

# Frank child chair

Width: 32 cm Height: 55 cm Sitting height: 31 cm Depth: 35 cm Weight 8 kg

# Product numbers and combinations

B11-06 Startup cost for powder coating steel in a color other than standard.

Choose a RAL colour.

U16-25Frank backed benchU16-27Frank armchairU16-29Frank children's chair

# Append to product number

# WOOD AND FINISH

E for oiled oak.

MH for oiled mahogany.

J for jatoba.

If no letter is entered after the article number, gray topcoated pine is obtained.

NCS S 5502-B.

C for any color other than standard, starting cost is added.

# METAL SURFACE FINISH

Noir 2200 Sablé (black).

C for any color other than standard, starting cost is added.

# Standard colours

NCS S 5502-B
Noir 2200 Sablé
Oiled oak
Oiled mahogany
Jatoba

# Materials and surface treatments

#### Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

#### Jatoba - FSC-certified

Our FSC-labeled Jatoba is an untreated, very hard, and strong hardwood with a long shelf life. It has a brown color with black accent stripes that changes to a deep and rich red color over time.

#### Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

#### Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

#### **Topcoat**

Painted wood is made with D-Dur Pigmented Polyurethane two-component topcoat. The topcoat has good resistance and outdoor durability. Gloss number: 60.

# Recycled sand cast aluminium

Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.

#### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

# Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

#### Freestanding

Freestanding product that is placed directly on the ground.

Frank is freestanding but can be bolted to the ground if necessary.

#### Maintenance

# Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

#### Oiled mahogany

Oiled mahogany should be oiled two times a year.

#### Jatobo

Jotoba basically requires no maintenance apart from regular wiping down.

#### **Topcoat**

Products treated with D-Dur Pigmented polyurethane two-component topcoat should be maintained regularly. Maintenance intervals approx. 1 time per year. Damage and cracks should be repaired immediately. Touch-up paint with, for example, Nordsjö One door and window water-based topcoat.

#### Sand cast aluminium

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

#### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Versions Available as backed bench, lounge chair and children's chair.

**Character** Frank furniture series is a classic series for outdoor use.

#### Designers

# **David Taylor**

With a background as en electrician, one can say that David Taylor has always had a deep understanding and care for lighting. Ever since graduating University College of Arts, Crafts and Design (Konstfack) in 1999, where he studied metall design, Taylor has produced a broad range of products exhibited in public spaces such as Östermalmstorgs subwaystation, the National Museum, Eskiltuna's art center and Röhsska Museum. Taylor has recieved both the RED DOT award and Elle Interior's design award.







Frank armchair, designed by David Taylor, on Östra Drottninggatan in Gävle. It is also combined with a table and high chair from the Parco series, designed by Broberg & Ridderstråle. Photo: Jann Lipka.

