

nola®




## Gnom Bollard

Design Thomas Bernstrand

This striking bollard forms a sturdy ground-mounted barrier while also providing public seating. The bollard's multi-functional design makes it an efficient choice for pedestrian streets, alleyways and small squares, or any area where space is restricted and seating is required. Its sleek design makes the bollard a perfect accompaniment to modern architecture and also suitable for historic districts.

CERTIFICATION





#### Dimensions and weight

Height: 55 cm  
Ø: 42 cm  
Vikt: 160 kg

#### Product numbers and combinations

Ö16-82 Gnom pollare.

#### Append to product number



#### VARIANTS

A for Antracit.  
G for Grey.

#### INSTALLATION TYPE

N for surface mount.

#### Standard colours

 Infärgad antracitgrå betong  
 Ljust grå betong ofärgad

#### Materials and surface treatments

Concrete.

#### Concrete

Concrete is cement mixed with crushed stone or aggregate. The material is very strong in compression but fragile in tension. To compensate for this concrete can be reinforced, often with steel.

#### Coloured concrete

Colored concrete is concrete in a color other than standard grey. Pigment is added to the dry mixture, which means that the concrete becomes coloured throughout. Each color has its own recipe.

#### Assembly and placement

#### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Fully assembled and ready to be bolted to the ground. Due to its heavy weight, the bollard is delivered secured to a wooden pallet.

One M16 bolt is required to secure the bollard to the ground. The bolt is included.

#### Maintenance

### Concrete

Both normal concrete and fibre-reinforced concrete are sensitive to hard edge impacts. A concrete product that has been damaged can be repaired with polyester filler, such as the product "Plastic Padding".

### Coloured concrete

Products made of coloured concrete are washed with a pressure sprayer at low pressure. Damaged products can be repaired with a repair kit that is available to order.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### Versions

Coloured or untreated concrete.

### Character

A robust, well-proportioned bollard that can also be used as a seat.

### Designers

#### Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

