


nola®




Goggle 2 Bike Rack

Design Nola

The Goggle 2 bike rack is comprised of a series of galvanised hoops fastened to horizontal bars. A range of alternatives is available, making Goggle 2 a uniquely versatile system. The hoops can be attached to a base plate, a single bar, a double-sided rack or secured to a purpose-built structure. The ground-mounted single-sided version is also available with a wooden ledge along the top.

CERTIFICATION





Dimensions and weight

Length: 241 cm. 250 cm with foot plate. 230 cm C-C between posts.
Depth: Frame lock 70 cm with foot plate. 65 cm for casting. 119 cm bidirectional.
Depth: Goggle wheel holder 41 cm with foot plate. 37 cm for casting. 63 cm bidirectional.
Height: Goggle wheel holder 54 cm. Height: Frame lock 63 cm.
Weight: Wheel holder package: Frame locking one-way: 30.5 K. Goggle one-way: 28 Kg. Goggle double: 36.5 Kg.
Weight: Post: 8 Kg. Casting: 11 Kg.
Goggle Oblique: c-c dimensions between the posts are 230 cm and c-c between the wheel holders is 36 cm.

Product numbers and combinations

CYKELSYSTEMETS DELAR

Stolpar

Ö03-38/1N Goggle 2 outer pole, with foot plate
 Ö03-38/2N Goggle 2 middle pole, with foot plate

Enkelriktade cykelställsramar

Ö03-39/5 Goggle 2 vertical bike rack with 5 wheel-holders
 Ö03-39/6 Goggle 2 vertical bike rack with 6 wheel-holders
 Ö03-39/10/RAM Goggle 2 vertical bike rack with 10 wheel-holders with frame lock

Dubbelriktade cykelställsramar

Ö03-39/6D Double-sided bike rack with 6 wheel-holders
 Ö03-39/8D Double-sided bike rack with 8 wheel-holders
 Ö03-39/10D Double-sided bike rack with 10 wheel-holders
 Ö03-39/10D/RAM Double-sided bike rack with 5 wheel-holders with frame lock
 Ö03-39-6D/SNED Double-sided angled bike rack with 6 wheel-holders
 Ö03-39-12D/SNED Double-sided angled bike rack with 12 wheel-holders

B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

Append to product number

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

VARIANTS

Goggle 2 är ett byggsystem, inte färdiga cykelställ. Välj alltid slut och mittstolpar i din kombination.

Detta cykelställ är endast fastsättningsbart.

INSTALLATION TYPE

N for surface mount.

Standard colours



RAL 9005

Materials and surface treatments

Posts: 114 mm Pipes (electro-galvanized and powder-coated) black RAL 9005
Follow-up pipes: 60 mm Tubes and 12 mm wire (hot-dip galvanized)

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered in parts - posts and follower tubes with wheel holders.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Simple or bidirectional and with frame locking. Goggle 2 is also available with inclined bike racks and wheel holders.

Character

A robust and durable variant of the Goggle bike rack system. For two-way bicycle racks with 10 seats and one-way with 5 seats.

Designers

Nola

