

# nola<sup>®</sup>




## Goggle Bicycle Stand

Design Nola

The Goggle bicycle stand is an efficient combination of metal rings and freestanding poles. Sleek metal rings at the top provide fixtures where bicycles can be securely locked. The bicycle stands can be positioned in a long row or arranged in curving shapes to complement the landscape around them. Goggle is efficient and unique.

CERTIFICATION





#### Dimensions and weight

Width: 32 cm x 8 cm

Height: 90 cm

Weight 10 kg

Width including rings: 32 cm Width of post: 8 cm Height: 90 cm.

#### Individual dimensions

The pipe steel in the frame has a diameter of 76 mm

The steel pieces used to create the hoops have a diameter of 12 mm

#### Product numbers and combinations

Ö03-44 Goggle bicycle stand

#### Append to product number

##### METAL SURFACE FINISH

VFZ for hot-dipped galvanized.

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

M for in-ground.

#### Standard colours

- RAL 9005
- Gris 2150 Sablé
- Gris 2900 Sablé
- Hot-dip galvanized steel

#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Hot-dip galvanized or electrogalvanized and powder coating

Available in either only hot-dip galvanized steel or electro-galvanized and powder-coated steel.

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Electrogalvanizing provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current. Powder

coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

##### In-ground

Cast in ground.

Levereras monterad

#### Maintenance

##### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

##### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

#### Character

An understated design, the Goggle bicycle stand is characterised by sleek metal rings attached to freestanding posts.

#### Designers

---

#### Nola

---



