



Gro Trellis

Design Mia Cullin

The Gro trellis provides an integral framework support for stems, stalks, robust greenery and small branches. The trellis has a classic shape that gives each planter individual expression. The trellis is available in two motifs, named Leaf and Net respectively. The trellis can provide a screening effect in a variety of applications and be used as a means to divide space.

Dimensions and weight

Height: 216 cm / 212.5 cm

Ø: 180.6 cm

Depth: 44 cm

Weight 33 kg

Width of trellis section: 13.3 cm

Height (standing upright): 216 cm Depth: 13.3 cm

Height (leaning against the wall): 212.5 cm Depth: 44 cm

Product numbers and combinations

Ö16-04 Gro wall trellis

Ö16-04/325 Planter small 32.5 cm x 32.5 cm x 30 cm

Ö16-04/700 Planter large 70 cm x 32.5 cm x 30 cm

Append to product number

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

V for mounted to wall.

N for surface mount.

Standard colours



RAL 3007



RAL 6020



RAL 160 70 10



Ivoire Blanche

Materials and surface treatments

RAL 3007 finstruktur.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Partly assembled.

Freestanding / Groundmounted

Maintenance**Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Climbing frame with two different patterns, Leaf and Net. Two planters, 325 litres or 700 litres, can be ordered separately. The planters can be freestanding or placed against a wall.

Character

The Gro series now includes two new climbing frames, each crafted with a unique motif that adds decorative elements.

Designers

Mia Cullin

