
nola



Haga Park Bench

Design Anders Nyquist

The Haga park bench has a classic design. Its traditional shape is well-suited to both historic settings and contemporary spaces. Haga's construction is uniquely versatile, enabling it to be quickly assembled and easily taken apart for winter storage. The bench is also available in three different lengths and with pine slats crafted in varying dimensions, enabling Haga to be produced in range of shapes and sizes.



Dimensions and weight

Length: 130/171 alt 226 cm

Height: 96 cm

Armrest height: 67,5 cm Sitting height: 44 cm

Depth: 61 cm

Length: 171 / 130 / 226 cm

Width: 50 cm Height: 45 / 95 cm Weight: 35 / 25 / 45 kg

The oiled oak version is made in heights of 45 / 91 cm and weighs 38 / 27 / 49 kg

Product numbers and combinations

U16-50 Haga backed bench 171 cm

U16-53 Haga backed bench 130 cm

U16-54 Haga backed bench 226 cm

U16-55 Attachment hardware to Haga in stainless steel. Set of 4

U16-51 Haga armchair

U16-52 Haga rectangular table

Append to product number

WOOD AND FINISH

E for oiled oak.

V for white NCS S 0502-Y (sofa and armchair).

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard colours

NCS S 0502-Y (Vit)
NCS S 3060-Y20R (Gul)
Oiled oak

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Some assembly required. The back, seat and frames assemble easily on site.

Maintenance

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Versions

Available in yellow-glazed pine, white oiled alkyd enamel painted pine or oiled oak.

Teak or mahogany are available upon request.

Character

Haga is made in three different lengths with pine slats crafted in varying dimensions, enabling the bench to be made in range of shapes and sizes.

Designers

Anders Nyquist





Minnesbänkar Kungsträdgården, Stockholm



