

nola®




Hinken 40 Litterbin

Design Thomas Bernstrand

This litterbin is designed with an open lid for easy access, yet it keeps waste out of sight. Hinken 40 is fitted with a base pedestal, which makes an attractive complement to the other Hinken products such as the large-size Hinken litterbin and the Hinken planter. Hinken 40 is modern, sleek and available in different colours.

CERTIFICATION





Dimensions and weight

Height: 76 cm
 Ø: 41.5 cm
 Vikt: 28 kg

Height of container: 46 cm.

Diameters: opening/round hole: 10.5 cm.

Volume: 40 L.

Product numbers and combinations

Ö30-85 Hinken 40 litterbin

Append to product number

METAL SURFACE FINISH

V for white RAL 9010.

A for anthracite RAL 7017.

C for any color of steel, at an additional cost.

INSTALLATION TYPE

M for in-ground.

N for surface mount.

V for mounted to wall.

Standard colours

RAL 9010
 RAL 7016

Materials and surface treatments

The litterbin is made from reinforced fibreglass plastic, with the frame and lid made in steel.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Plastic / Fiberglass

Glass fiber is often used as reinforcement in plastics to increase rigidity by coating a glass fiber fabric with a plastic, usually a polyester, which hardens and binds the glass fiber together.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Some assembly required. The lid attaches to the bin and the bin attaches to the pedestal base with the screws provided.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Character

A sleek litterbin free of any embellishment or decorative details. The litterbin is attractive and discreet, and the base gives it a lighter appearance.

Designers

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

