

nola®



Hjorthagen Furniture Group

Design Peter Brandt

Wood is loved for many reasons, and the benches, armchair and tables in the Hjorthagen family showcase its timeless appeal. Hjorthagen is the perfect combination of traditional garden furniture and contemporary outdoor design. The products honour the long tradition of craftsmanship that characterises Scandinavian design and painted wooden furniture. Hjorthagen adds classic craftsmanship to any type of environment.

CERTIFICATION

Produkt listad i
Svanens Husportal



Dimensions and weight

Hjorthagen armchair

Width: 58 cm
Height: 89 cm
Sitting height: 46 cm
Sitting depth: 41 cm
Depth: Djup 55 cm
Weight 12 kg

The legs are provided with plastic feet to better withstand moisture.

Alkyd oil enamel on pine, oiled oak.

Individual dimensions

The wood components in the seat and backrest: 32 mm x 192 mm
Stand thickness: 42 mm

Hjorthagen Table

Length: Rektangulärt bord 165 cm
Width: Rektangulärt bord 76 cm
Height: 75 cm
Ø: Runt bord 136 cm

Table rectangular: length: 165 cm. Width: 76 cm. Height: 75 cm. Weight: 24 kg.
Round table: Ø: 136 cm. Height: 73.5 cm. Weight: 31 kg.

The legs are provided with plastic feet to better withstand moisture.

Individual dimensions

Wood components table legs: 56 x 56 mm
Wood components table top: 21 x 92 mm, 21 x 115 mm

Hjorthagen bench

Width: 180 cm
Height: 45 cm
Sitting height: 45 cm
Depth: 40 cm
Weight 16 kg

The legs are provided with plastic feet to better withstand moisture.

Individual dimensions

Seat: Wood components: 32 mm x 192 mm
Stand thickness: 42 mm

Hjorthagen Park bench

Length: Soffa utan armstöd 186 cm, soffa med armstöd 175 cm
Height: 89 cm
Sitting height: 46 cm
Depth: 55 cm
Weight 22 kg

The legs are fitted with plastic feet to better withstand moisture.

Individual dimensions

The wood components in the seat and backrest: 32 mm x 192 mm

Stand thickness: 42 mm

Product numbers and combinations

B11- Starting cost for another color of wood. Choose brown or grey for Linax or **07** an NCS color for painted wood. If you want the same color on both steel and wood, choose the RAL color for both.

U16- Attachment hardware to Hjorthagen, set of 4
55

U16-41 Hjorthagen armchair

U16-43 Hjorthagen table, rectangular

U16-45 Hjorthagen table, round

U16-44 Hjorthagen bench

U16-40 Hjorthagen backed bench

U16-46 Hjorthagen backed bench with armrests

Append to product number

WOOD AND FINISH

E for oiled oak.

MH for oiled mahogany.

SIOO for sioo:x treatment oak.

G for yellow NCS S 3060-Y20R

V for white NCS S 0502-Y

GR for green NCS S 8010-B90G

H for red-brown NCS S 4550-Y80R

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard colours



NCS S 3060-Y20R (Gul)



NCS S 0502-Y (Vit)



NCS S 4550-Y80R (Röd)



NCS S 8010-B90G (grön)



Oiled oak



Oiled mahogany



SiOO:X treatment oak

Materials and surface treatments

The furniture frames are made from alkyd oil-enamelled pine or oiled oak. The seats and backrests are made in glulam.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Fully assembled.

Freestanding

Maintenance

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

SiOO:X treatment oak

Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). After 12 - 18 months, for best durability, the surface should be treated once more with Sioo:x Premium Ytskydd Altan. It is important to keep the product clean, otherwise the surface protection can be destroyed. Products that are exposed to heavy mechanical wear may need extra treatments. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the Sioo treatment see the website www.sioox.se.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

Versions

Soffa, fåtölj, bord.

Character

The Hjorthagen furniture group combines traditional garden furniture, time-honoured craftsmanship and contemporary design.

Sustainability

CO₂-eq: -45,35 kg CO₂
Energy consumption: 1859,15 MJ
Recycled materials: 0,14 %

Hjorthagen armchair

CO₂-eq: -45,35 kg CO₂
Energy consumption: 1859,15 MJ
Recycled materials: 0,14 %

Hjorthagen Table

CO₂-eq: -39,65 kg CO₂
Energy consumption: 1756,65 MJ
Recycled materials: 0,31 %

Hjorthagen bench

CO₂-eq: -45,35 kg CO₂
Energy consumption: 1859,15 MJ
Recycled materials: 0,14 %

Hjorthagen Park bench

CO₂-eq: -45,35 kg CO₂

Energy consumption: 1859,15 MJ


Recycled materials: 0,14 %

Designers

Peter Brandt

Peter Brandt is a designer and interior architect living in Stockholm. Educated at Kungliga Konsthögskolan, the Konstfack University College of Arts in Stockholm, Crafts and Design, and Kunstakademiets Arkitektskole in Copenhagen. He has received several awards over the years as *Excellent Swedish Design* and is represented at the *Nationalmuseum*.







The Hjorthagen furniture group, designed by Peter Brandt, is the perfect combination of traditional garden furniture and contemporary outdoor design. Photo: Christoffer Skogsmo.



