

nola®




Jessing Picnic Table

Design Jessing

The Jessing picnic table is an outdoor classic designed for leisure activities, such as making crafts, eating meals or socialising with friends. Jessing replaces the wooden supports with steel runners, making it easy to slide in and sit down. This makes the picnic table more accessible for those who may be less able. Each end of the table has an overhang, providing access for wheelchair users. Each table provides seating for four to six people.

FEATURES

 Designed for accessibility

Dimensions and weight

Length: 180 cm
Width: 180 cm
Table width: 75,5 cm
Height: 74 cm 🪑
🪑🪑🪑🪑 Seat height: 45 cm
Seat depth: 31 cm

Product numbers and combinations

JESS 1300 Jessing Picnic table
JESS 1310 Jessing Picnic table with a backrest

Append to product number

WOOD AND FINISH

JAT for jatoba.

INSTALLATION TYPE

N for surface mount.

Standard colours

 RAL 9005

Materials and surface treatments

Jatoba - FSC-certified

Our FSC-labeled Jatoba is an untreated, very hard, and strong hardwood with a long shelf life. It has a brown color with black accent stripes that changes to a deep and rich red color over time.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Maintenance

Jatoba

Jotoba basically requires no maintenance apart from regular wiping down.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Available with or without backrests. The frame can be either warm-galvanised or powder-coated, or both warm-galvanised and powder-coated. The design can be modified to accommodate disabled users.

Character

The Jessing picnic table picnic provides a practical alternative to tables and chairs.

Designers

Jessing

