nola



Join Furniture series

Design Tengbom

Join is a versatile furniture series suitable for outdoor spaces like terraces and courtyards. The series includes benches, stools, tables, side tables, and planters. The lightweight construction of the furniture allows for easy mobility and the creation of various configurations. The higher bench with a seating height of 65 centimeters promotes active sitting.

The pieces can be easily arranged according to needs and space, with the green planters serving as islands or dividers. The furniture is made of steel with wooden details for a softer feel. The patterned perforations provide a decorative break and a consistent design element throughout the series. All components have adjustable feet for stable placement on uneven surfaces.

Join Planter

Width: 90 cm Height: 90 cm Depth: 90 cm Weight 60 kg

U80-87 Join Hanging table L: 90 cm W: 40 cm Volume: 440 L

Dimensions

Overall dimensions: H: 90 cm L: 102 cm W: 102 cm Handle height: 75 cm / 87 cm Planter outer dimensions: H: 82 cm L: 90 cm W: 90 cm Planter inner dimensions: L: 80 cm W: 80 cm D: 69 cm

Join Table

U80-81 Join Table. H: 90 cm L: 180 cm W: 90 cm. Weight: 44 kg.

U80-84 Join Table. H: 78 cm L: 180 cm W: 90 cm. Weight: 43 kg.

Join Bench

U80-82 Join Bench. H: 65 cm L: 130 cm W: 40 cm. Weight: 27 kg.

U80-85 Join Bench. H: 48 cm L: 130 cm W: 40 cm. Weight: 23 kg.

U80-85TABLE Join Bench with table. Seat height: 48 cm L: 130 cm W: 40 cm. Table H: 23 cm \emptyset : 27 cm. Weight: 24.5 kg.

Join Stool

U80-83 Join Stool. H: 65 cm L: 40 cm W: 40 cm. Weight: 13.5 kg. Weight plate: 13 kg.

U80-86 Join Stool. H: 48 cm L: 40 cm W: 40 cm. Weight: 11.5 kg. Weight plate: 11 kg.

Product numbers and	
combinations	

U11-01BESLAG Attachment hardware, 4 pc.s

U80-80Join PlanterU80-87Join Accessory tableU80-81Join Table 90 cmU80-84Join Table 78 cmU80-82Join Bench 65 cmU80-85Join Bench 48 cmU80-85BordJoin Bench 48 cm with tableU80-83Join Stool 65 cmU80-83Join Stool 65 cmU80-83PPJoin Stool sheet metal 65 cmU80-86Join Stool sheet metal 65 cm

Append to product number

WOOD AND FINISH

E for oiled oak.

METAL SURFACE FINISH

RAL 9005

C for any color other than standard, starting cost is added.

Standard colours



Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

 Assembly and placement
 Freestanding

 Freestanding product that is placed directly on the ground.
 Join Planter is delivered assembled.

 Other products in the Join Furniture series are delivered disassembled, check the assembly instructions for information on each product's individual assembly.

 Join table
 bench and stool can be balted to the base if precessary. Fittings are

Join table, bench and stool can be bolted to the base if necessary. Fittings are combined with the adjustable feet and purchased separately.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

Read more in our general maintenance advice at nola.se/en/care-andmaintenance

Designers

Tengbom

Tengbom is one of Sweden's most established architecture firms, with roots dating back to 1906. Working across scales and disciplines, their practice spans everything from urban planning to interior design.

With an in-house product development team, Tengbom creates bespoke furniture and tailored design solutions that become an integral part of their architectural vision.









