



Kalmar Furniture Group

Design Lars Gunnars

Ergonomic design meets urban style in the Kalmar furniture group, creating a distinctively contemporary expression. The seats are angled slightly to make the chair and benches more comfortable, and the backrests are crafted with subtle curves that support the spine. The bench is a favourite choice for maritime areas, waterfront parks and public spaces with panoramas over the landscape. Kalmar's robust materials withstand heavy rain, strong winds and extreme temperatures.

Can be treated with Protega Novatherm fire protection, which is a waterborne fire protection paint, for products which, for example, will be placed in connection with escape routes and entrances.

CERTIFICATION

Produkt listad i Svanens Husportal  BYGGHÄRLI BEDÖMNINGEN  **SundaHus**



Can be treated with fire protection

Dimensions and weight

Kalmar Table

Length: 72 cm / 132 cm

Height: 70 cm

Depth: 72 cm

Vikt: 24 kg/ 32 kg

Individual dimensions

Wood parts: 30 mm x 70 mm / 30 mm x 95 mm

Flat oval steel parts: 20 mm x 50 mm

Flat steel base: 10 mm x 60 mm

Pipe steel legs: Ø: 50 mm

Flat steel base plate: 12 mm x 60 mm

Kalmar Park Bench

Length: 136 cm / 191 cm

Height: 82 cm

Sitting height: 49 cm

Depth: 54 cm

Vikt: 37 kg / 51 kg

Individual dimensions

Wood components: 30 x 95 mm och 30 x 120 mm.

Oval steel parts and flat steel in the frame: 8 x 40 mm och 10 x 40mm.

Kalmar Armchair

Width: 56 cm

Height: 82 cm

Sitting height: 49 cm

Depth: 54 cm

Individual dimensions

Wood components: 30 x 95 mm och 30 x 120 mm.

Oval steel parts and flat steel in the frame: 8 x 40 mm och 10 x 40mm.

Product numbers and combinations

B11-06 Additional fee for choosing a non-standard colour

B11-07 Additional fee for choosing a non-standard colour on wood

U11-04 Kalmar table 132 x 72 cm

U11-05 Kalmar table 72 x 72 cm

U11-05SCH Kalmar table 72 x 72 cm with wood-laminate

U11-01BESLAG Attachment fixtures, set of 4

U11-01 Kalmar park bench 191 cm

U11-02 Kalmar park bench 136 cm

U11-03 Kalmar armchair

Append to product number

WOOD AND FINISH

MH for oiled mahogany.

EK for oiled oak.

TEA for oiled teak.

A for pine varnished in light green NCS S 6010-G10Y with frame in dark green RAL 6012.

G for pine varnished in grey NCS S 5502-B with frame in black RAL 9005.

H for pine varnished in reddish brown NCS S 4550-Y80R with frame in black RAL 9005.

C for pine varnished in non-standard colour with frame in any choice of colour, fee added.

METAL SURFACE FINISH

RAL 9005

C for any color other than standard, at additional cost.

INSTALLATION TYPE

N for surface mount.

Standard colours



RAL 6012



RAL 9005



NCS S 5502-B



NCS S 4550-Y80R (Röd)



NCS S 6010-G10Y (Grön)

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Teak - FSC-certified

FSC-labeled teak is exceptionally durable in an outdoor environment. Teak has a high content of silicon and tannic acids, which makes it quite expensive to process. If you want to keep the reddish-brown luster, you should oil the wood several times during a season, otherwise it turns gray quickly.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

The backed bench and armchair are fully assembled. The tables are delivered in parts for easy assembly.

Freestanding and attachable. The benches and tables can be attached by using the U11-08 four-piece set of fittings.

Maintenance

Teak Glazed furniture is touch-up painted with teak glaze.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

Oiled teak

Teak should be oiled annually to maintain the brown color. Without maintenance, teak takes on a silver gray color over time.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Powdercoated steel

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Park bench, armchair and table.

Character

The Kalmar furniture group blends modern design with ergonomic form in an elegant indoor-outdoor style.

Designers

Lars Gunnars



