

nola®




Kalmar Table

Design Lars Gunnars

The Kalmar table complements the bench and armchair in the same furniture group. The table blends modern design with hard-wearing materials in an elegant indoor-outdoor style. Together with other designs from the Kalmar furniture group, the table creates space for outdoor dining, meetings or relaxation.

CERTIFICATION

Produkt listad i
Svanens Husportal  BYGGGARU
BEGGNNINGEN  **SundaHus**



Dimensions and weight

Length: 72 cm / 132 cm

Height: 70 cm

Depth: 72 cm

Weight 24 kg/ 32 kg

Individual dimensions

Wood parts: 30 mm x 70 mm / 30 mm x 95 mm

Flat oval steel parts: 20 mm x 50 mm

Flat steel base: 10 mm x 60 mm

Pipe steel legs: Ø: 50 mm

Flat steel base plate: 12 mm x 60 mm

Product numbers and combinations

U11-04 Kalmar table 132 x 72 cm

U11-05 Kalmar table 72 x 72 cm

U11-05SCH Kalmar table 72 x 72 cm with wood-laminate

U11-01BESLAG Attachment fixtures, set of 4

B11-06 Additional fee for choosing a non-standard colour

B11-07 Additional fee for choosing a non-standard colour on wood

Append to product number

WOOD AND FINISH

MH for oiled mahogany.

EK for oiled oak.

TEA for oiled teak.

A for pine varnished in light green NCS S 6010-G10Y with frame in dark green RAL 6012.

G for pine varnished in grey NCS S 5502-B with frame in black RAL 9005.

H for pine varnished in reddish brown NCS S 4550-Y80R with frame in black RAL 9005.

C for pine varnished in non-standard colour with frame in any choice of colour, fee added.

METAL SURFACE FINISH

RAL 9005


C for any color other than standard, at additional cost.

INSTALLATION TYPE

N for surface mount.

M för markfast, gäller enbart runt bord i oljad Fsc märkt Sipo-mahogny.

Standard colours



Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Teak - FSC-certified

FSC-labeled teak is exceptionally durable in an outdoor environment. Teak has a high content of silicon and tannic acids, which makes it quite expensive to process. If you want to keep the reddish-brown luster, you should oil the wood several times during a season, otherwise it turns gray quickly.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Compact laminate

Compact laminate is a sheet material made of kraft paper and phenolic resins, pressed together under heat and extreme pressure. The material is completely water resistant.

Assembly and placement**Freestanding**

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

The table is delivered in separate parts for the tabletop and base to be assembled after delivery.

Det runda bordet i mahogny kan även fås med markfast förlängt stativ.

Maintenance**Oiled oak**

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

Oiled teak

Teak should be oiled annually to maintain the brown color. Without maintenance, teak takes on a silver gray color over time.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Compact laminate

Compact laminate is very a strong and heavy material. It does not normally require maintenance.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The tabletop is rectangular, square or round. The square tabletop is designed with a chessboard pattern.

Character

A versatile modern table available in a range of shapes.

Designers

Lars Gunnars

