


nola®



Korg – New Product! Bar Stool and Table

Design Thomas Bernstrand

The newest addition to the Korg series is the Bar stool and high table, further completing the collection. Sitting at a higher level is increasingly requested in public and outdoor spaces, often suited for work, social gatherings, or events. With this high-seating option, the entire Korg series can be incorporated to create a streamlined and cohesive design, adding both functionality and a confident sense of style.



Dimensions and weight

Korg Bar Stool

Width: 52 cm
Height: 98 cm
Sitting height: 75 cm
Depth: 52 cm
Weight 15 kg

Korg Bar Table

Height: 105 cm
Ø: 70 cm
Weight 20 kg

Product numbers and combinations

U12-33 Korg Bar Stool, with swivel function.

U12-39 Korg Bar stool, fixed.

U12-34/BAR Korg Bar Table, with table top in powder-coated steel

U12-34/LAMT Korg Bar table, with printed laminate table top

Append to product number

METAL SURFACE FINISH

When ordering, specify which of our standard colors you want:

Dark blue/Grey RAL 5008, fine texture.

Black Noir 2200 Sablé, fine texture.

Red/Orange RAL 2002 (matt clear coat), fine texture.

Green RAL 6025, fine texture.

Black RAL 9005, fine texture.

C for any color other than standard, at additional cost.

VARIANTS


Korg Bar stool is only available in a attachable option.

INSTALLATION TYPE

N for surface mount.

M for in-ground.

Standard colours



■ RAL 9005
■ Noir 2200 Sablé

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at \[nola.se/en/care-and-maintenance\]\(https://nola.se/en/care-and-maintenance\)](https://nola.se/en/care-and-maintenance)

Designers

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.



