

nola®



## Korg Armchair

Design Thomas Bernstrand


Korg armchair is a neat and expressive chair anchored to a cylinder-shaped base. Its grid pattern creates a clear graphic expression. The armchair is available with a swivel function or firmly anchored. Korg is maintenance-free and the function of the material at the same time makes water easily drain.

### CERTIFICATION



### FEATURES

↻ Swivel function



#### Dimensions and weight

Width: 64 cm

Height: 88 cm

Sitting height: 45 cm

Depth: 61 cm

Weight In-ground: 14,09 kg

Weight Surface mount: 14,24 kg

#### Product numbers and combinations

**U12-30** Korg Armchair, Swivel version

**U12-31** Korg Armchair

**B11-06** Startup cost for powder coating steel in a color other than standard.

Choose a RAL colour.

#### Append to product number

##### METAL SURFACE FINISH

When ordering, specify which of our standard colors you want:

Dark blue/Grey RAL 5008, fine texture.

Black Noir 2200 Sablé, fine texture.

Red/Orange RAL 2002 (matt clear coat), fine texture.

Green RAL 6025, fine texture.

Black RAL 9005, fine texture.

C for any color other than standard, at additional cost.

##### VARIANTS

If a different seat height than standard is desired, contact us at Nola.

For Korg indoors, we can manufacture cushions in leather with wool filling.

Requests for quotation.

##### INSTALLATION TYPE

N for surface mount.

M for in-ground.

#### Standard colours



RAL 2002



RAL 5008



RAL 6025



RAL 9005



Noir 2200 Sablé

#### Materials and surface treatments

### **Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### **Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## **Assembly and placement**

### **In-ground**

Cast in ground.

### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Mounted to the ground.

## **Maintenance**

### **Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## **Versions**

The armchair is available as swivel or fixed, ground-fixed or attachable (with foot plate).

Part of furniture group.

## **Character**

Expressive armchair with swivel function.

## **Sustainability**

CO<sub>2</sub>-eq: 30,40 kg CO<sub>2</sub>

Energy consumption: 1254,15 MJ

Recycled materials: 0,08 %

[View EPD for details](#)

## Designers

---

### Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.







