



Krokodil Bench and Tabletop

Design Jerry Hellström

Krokodil is an excellent choice for compact spaces where café-style seating is required. Two space-saving tabletops are incorporated into the seat, each able to swivel left and right to accommodate those seated. The bench is fitted with collapsible legs that fold underneath to make storage easy and efficient. Adjustable feet on each leg can be tweaked to compensate for the height differences on uneven surfaces.

Dimensions and weight

Length: 270 cm
Width: 40 cm
Height: (ställbar) : 75-85 cm
Sitting height: (ställbar) : 45 - 55 cm
Sitting depth: 28 cm
Ø: Bordskiva 45 cm
Vikt: 50 kg

Individual dimensions

Table console in tubular steel 25 x 2 mm, table top of 4 mm sheet steel, legs of tubular steel 30 x 2 mm, braces of 10 mm solid steel.
Seat of lamella-glued pine 68 x 280 mm, white-glazed pine.

Product numbers and combinations

U07-01 Krokodil bench
B11-06 Startup cost for powder coating steel in a color other than standard

Append to product number

WOOD AND FINISH

C for any color other than standard, starting cost is added.

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.
Pick a RAL colour.

INSTALLATION TYPE

N for surface mount.

Standard colours



RAL 6012

Materials and surface treatments

Glulam.

The steel is blast-blasted, electro-galvanised, yellow chromated and polyester powder coated in green RAL 6012.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered in parts for assembly on site.

Maintenance

Powdercoated steel

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

With non-adjustable feet or a ground-mounted version that can be bolted to the ground.

Character

Krokodil is an excellent choice for compact spaces where café-style seating is required.

Designers

Jerry Hellström

Architect, who started Design Torget in Stockholm. Has worked with product development for Nola since the 1990s, and is currently active as a designer.

