


nola®



## Krus Planter and Water Feature

Design Bernt Fröderberg

Krus is a sleek aluminium planter with subtle ridges tracing its surface. Although its smooth form resembles the ceramic vessels shaped on a pottery wheel, it is actually made from recycled aluminium. Krus can be placed atop a corresponding pillar to double its height, or placed directly on the ground. It can be fitted with an inner container and water pump to turn it into a fountain or water feature.



#### Dimensions and weight

**Planter** Diameter of planter: 101 cm. Height: 33 cm. Weight: 64 kg. Volume: 90 L.

**Pillar** Diameter of plinth: Ø 31 cm. Height: 78 cm. Weight: 21 kg.

**Planter + Pillar** Overall height with planter: 111 cm. Diameter of base: Ø 27 cm. Height of base: 50 cm.

#### Product numbers and combinations

Ö16-00 Krus planteringsskål, obehandlad lättblästrad aluminium

Ö16-01 Piedestal till planteringsskål Krus, obehandlad lättblästrad aluminium

Ö16-02 Krus, markfundament.

Ö16-00BT6 Planteringsinsats, 6 liter.

Ö16-00BT4 Bevattningstank.

#### Append to product number

##### METAL SURFACE FINISH

S for black, RAL 9005.

MG for metallic grey.

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

M for installation in pre-cast foundations.

N for surface mount.

#### Standard colours

■ RAL 9005

#### Materials and surface treatments

##### Recycled sand cast aluminium

Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

**Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

**Installation in pre-cast foundations**

Posts for installation in pre-cast foundations.

Some assembly required.

**Maintenance****Sand cast aluminium**

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

**Powder coated Aluminium**

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

**Versions**

Available in standard colours black or grey or with untreated aluminium surfaces. Non-standard colours are available upon request.

**Character**

Krus is a uniquely versatile planter. It can be placed on a pillar to double its height or transformed into a fountain or decorative water feature.

**Designers**

---

**Bernt Fröderberg**

