

nola®



Långbordet picnic table Modular Furniture System

Design White Arkitekter


Långbordet picnic table was created for connecting spaces and people. The table and seats adapt easily to different types of environments, where they can provide space for community meals, leisure activities and youth to hang out. The system is expandable, able to follow pavement patterns, extend lengthways, arc into circles, or create curving shapes. The benches attach to the table at ground level, ensuring that they remain in place at all times. The gaps between individual benches provide spaces for wheelchair users and access points where those who may be less able can be seated.


[See an overview of the Långbordet system!](#)

CERTIFICATION

Produkt listad i
Svanens Husportal   **SundaHus**

FEATURES

 Designed for accessibility



Dimensions and weight

Length: 100 cm / 140 cm / 180 cm

Width: 75 cm

Height: 75 cm

Sitting height: 45 cm

Depth: 195 cm

Standard lengths: 100 cm, 140 cm and 180 cm

Radius table length: 187 cm

Radius bench table angle: 45°

For table lengths 140 cm and 180 cm, the benches can be supplied whole or divided into two separate single lengths.

When paired with a divided bench, the 180 cm table has a 90 cm wide space for wheelchair access.

Height of seat: 45 cm

Depth of seat: 45 cm

Height of table: 75 cm

Depth of table: 75 cm

Total depth: 195 cm

Length: 100 cm, 140 cm, 180 cm

Length 187.5 cm (Radius table)

Weights

End section: 20 kg

Bench table 100: 76 kg

Bench table 140: 94 kg

Bench table 180: 114 kg

Radius Bench table : 84 kg

Product numbers and combinations

U17-80 Långbordet picnic table, end frame without armrests

U17-80A Långbordet picnic table, end frame with armrests

U17-80M Långbordet picnic table, middle frame without armrests

U17-80MA Långbordet picnic table, middle frame with armrests

U17-81 Långbordet picnic table, 100 cm section, complete bench + table + complete bench

U17-82-HH Långbordet picnic table, 140 cm section, complete bench + table + complete bench

U17-82-UH Långbordet picnic table, 140 cm section, divided bench + table + complete bench

U17-82-UU Långbordet picnic table, 140 cm section, divided bench + table + divided bench
U17-83-HH Långbordet picnic table, 180 cm section, complete bench + table + complete bench
U17-83-UH Långbordet picnic table, 180 cm section, divided bench + table + complete bench, 1 wheelchair space
U17-83-UU Långbordet picnic table, 180 cm section, divided bench + table + divided bench, 2 wheelchair spaces
U17-84-R Långbordet picnic table, radius section 45°, left/right
U17-81-H/Rygg Långbordet backrest 100 cm
U17-82-H/Rygg Långbordet backrest 140 cm
U17-83-H/Rygg Långbordet backrest 180 cm
U17-83-U/Rygg Långbordet split backrest (2 pcs)
U17-80-DL Långbordet table spacers (2 pcs)
U17-80-DK Långbordet bench spacers (2 pcs)
U17-80BESLAG Långbordet fastening fittings, sold individually
B11-06 Additional fee for choosing a non-standard colour

Append to product number

WOOD AND FINISH

SIOO for sioo:x treatment oak.

EK for oiled oak.

LIN for linax impregnated pine.

MH for oiled mahogany.

METAL SURFACE FINISH







RAL 2001

RAL 9005

RAL 9010

C for any color other than standard, start-up costs are added.

Standard colours

	RAL 9005
	RAL 9010
	RAL 2001
	Oiled oak
	Linax impregnated natural
	Oiled mahogany

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Linax

After traditional impregnation according to NTR AB, the wood is boiled in a hot linseed oil with or without color pigments under vacuum. The oil is penetrated into the surface on all six sides, which reduces moisture absorption in the wood and gives a dimensionally stable product over time. The result is a dried product with good resistance to rot that also has long maintenance intervals. Linax-impregnated furniture is intended for outdoor environments only.

SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

The tables, benches and frames are supplied separately. The tables and benches bolt to the frames via their short sides, after which the end boards are attached to the table and benches.

Långbordet has adjustable feet, enabling it to be placed on uneven surfaces. Optional attachment brackets are available to bolt the legs to the underlying surface.

Maintenance

Steel can be repainted with alkyd paint if necessary. The oak should be oiled annually.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Linax impregnated pine

Linax is a linseed oil-based impregnation that provides extra long durability in outdoor environments and corresponds to impregnation class AB. The impregnated wood turns gray over time, which means that it should be re-oiled if necessary. Use a linseed-based oil for impregnated materials.

SiOO:X treatment oak

Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). After 12 - 18 months, for best durability, the surface should be treated once more with Sioo:x Premium Ytskydd Altan. It is important to keep the product clean, otherwise the surface protection can be destroyed. Products that are exposed to heavy mechanical wear may need extra treatments. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the Sioo treatment see the website www.sioox.se.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

Versions

Available in standard lengths: 100 cm, 140 cm and 180 cm with a Radius bench table with 45° angles.

For the 140 cm and 180 cm tables, the benches can be supplied whole or divided into two separate lengths. When the divided bench is paired with the 180 cm table it provides a 90 cm space for wheelchair access.

Character

A dynamic, modular bench table system that can be extended lengthways or create circular shapes and curves. The system is wheelchair accessible.

Sustainability

CO₂-eq: 198,92 kg CO₂

Energy consumption: 4898,36 MJ

Recycled materials: 12,05 %

[View EPD for details](#)

Designers

White Arkitekter

White Arkitekter is one of Sweden's leading architectural offices. With a focus on sustainable architecture, design and city planning, they aim to work for both the current and future generation. White Arkitekter's aim is to through architecture be able to drive the transition towards a sustainable life.





