


nola<sup>®</sup>



## Lightframe Bike Stand

Design David Regestam

Designed in the shape of a window, Lightframe is made with two LED strips integrated into the frame. They make it easier for cyclists to secure their bicycles in the dark, and provide ambient light for pedestrians too. Lightframe's proportions can accommodate a wide variety of bicycle models and correspond to the scale of contemporary architecture. Several Lightframes can be combined to create a barrier or an architectural shape.



#### Dimensions and weight

Length: 100 cm

Width: 7 cm

Height: 161 cm

Weight 41 Kg

#### Individual dimensions

Steel pipe (frame): 70 mm x 40 mm x 3 mm

Steel thread (inner parts): Ø 16 mm

#### Product numbers and combinations

Ö04-10 Lightframe

B11-06 Startup cost for powder coating steel in a color other than standard

#### Append to product number


METAL SURFACE FINISH

C for any color of steel, at an additional cost.

INSTALLATION TYPE

M for installation in pre-cast foundations.

#### Standard colours

 Gris 2900 Sablé

#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

##### Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

#### Assembly and placement

### Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

No assembly required.

### Maintenance

#### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### Versions

Lightframe levereras med 2 st kapslade LED-armaturer för anslutning.  
Kulör Gris 2900S Sablé.

### Character

A bicycle stand designed in the shape of a window with integrated LED strips that make it easier for cyclists to secure their bicycles in the dark.

### Designers

David Regestam

