

nola®



## Nordfjell Collection Pergola Arch

### Design Nordfjell Collection

Pergola Arch is a freestanding arch designed for public parks and open courtyards. Pergola Arches can be installed individually to create an entrance to a designated area, or installed as a series to demarcate a long path. The design provides an ideal structure for climbers and creeper vines, creating greenery and shade. Pergola Arch is produced in laser-cut, powder-coated steel in matt black.

## Dimensions and weight

V02-02 Arch pergola arch, flat steel

Height: 280 cm

Width: 240 cm

Depth: 60 cm

V02-03 Arch pergola arch, flat steel

Height: 250 cm

Width: 200 cm

Depth: 60 cm

V02-04 Arch pergola arch wall model, flat steel

Height: 250 cm

Width: 225 cm

Depth: 60 cm

V09-01 Arch pergola arch, rectangular square steel

Height: 280 cm

Width: 200 cm

Depth: 69 cm

V09-02 Arch pergola arch, rectangular square steel

Height: 280 cm

Width: 240 cm

Depth: 69 cm

V09-03 Arch pergola arch, rectangular square steel

Height: 280 cm

Width: 350 cm

Depth: 69 cm

## Product numbers and combinations

V02-02 Arch, pergola arch, flat steel. H: 280 cm, B: 240 cm, D: 60 cm

V02-03 Arch, pergola arch, flat steel. H: 250 cm, B: 200 cm, D: 60 cm

V02-04 Arch, pergola arch wall model, flat steel. H: 250 cm, W: 225 cm, D: 60 cm

-

V09-01 Arch, pergola arch for LED lighting, rectangular square steel. H: 280 cm, W: 200 cm, D: 69 cm

V09-02 Arch, pergola arch for LED lighting, rectangular square steel. H: 280 cm, W: 240 cm, D: 69 cm

V09-03 Arch, pergola arch for LED lighting, rectangular square steel. H: 280 cm, W: 350 cm, D: 69 cm

V09-05/1 1 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

V09-05/2 2 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

V09-05/3 3 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

V09-05/4 4 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

V09-05/5 5 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

V09-05/6 6 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

#### Append to product number

#### METAL SURFACE FINISH

VFZ for hot-dip galvanized steel only.

G for powder coated gray Gris 2150 Sablé.

S for powder coated black Gris 2200 Sablé.

C for any color other than standard, starting cost is added.




#### VARIANTS

4 spotlight armatures, 2 drives, drilling and connection is included, as standard, then you can buy 1-6 spotlights separately that is already connected.

#### INSTALLATION TYPE

M for installation in pre-cast foundations.

#### Standard colours

-  Gris 2150 Sablé
-  Noir 2200 Sablé
-  Hot-dip galvanized steel

#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

##### Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Levereras monterad för fastbultning mot mark alternativt vägg. Bult ingår ej.

Pergola Arch kan på begäran levereras med kranbil för uppställning på plats.

#### Maintenance

##### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### Versions

1st väggfast modell samt 3st markfasta.

För Pergola Arch med LED belysning gäller följande:

Ellucka för kopplingsdon transformator i bågens nedre del.

Ljuspunkter med infälld LED-belysning i bågens horisontella del.

### Designers

---

#### Nordfjell Collection



