

nola®



## Nordfjell Collection Pergola Arch

### Design Nordfjell Collection

Pergola Arch is a freestanding arch designed for public parks and open courtyards. Pergola Archs can be installed individually to create an entrance to a designated area, or installed as a series to demarcate a long path. The design provides an ideal structure for climbers and creeper vines, creating greenery and shade. Pergola Arch is produced in laser-cut, powder-coated steel in matt black.

## Dimensions and weight

Width: 200, 225, 240 alt 350 cm  
Height: 250 alt 280 cm  
Depth: 60 alt 69 cm

## Product numbers and combinations

**V02-01** Arch, pergola arch wall model, flat steel. H: 250 cm, W: 225 cm, D: 60 cm  
**V02-02** Arch, pergola arch, flat steel. H: 280 cm, B: 240 cm, D: 60 cm  
**V02-03** Arch, pergola arch, flat steel. H: 250 cm, B: 200 cm, D: 60 cm  
**V09-05/1** 1 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)  
**V09-05/2** 2 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)  
**V09-05/3** 3 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)  
**V09-05/4** 4 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)  
**V09-05/5** 5 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)  
**V09-05/6** 6 LED spotlights, everything included (fittings, drilling and socket for assembly, drive, and connection)

### Append to product number

#### METAL SURFACE FINISH

VFZ for hot-dip galvanized steel only.

G for powder coated gray Gris 2150 Sablé.

S for powder coated black Gris 2200 Sablé.

C for any color other than standard, starting cost is added.

#### VARIANTS

4 spotlight armatures, 2 drives, drilling and connection is included, as standard, then you can buy 1-6 spotlights separately that is already connected.

#### INSTALLATION TYPE

M for installation in pre-cast foundations.

## Standard colours



Gris 2150 Sablé



Noir 2200 Sablé



Hot-dip galvanized steel

## Materials and surface treatments

### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### **Assembly and placement**

#### **Installation in pre-cast foundations**

Posts for installation in pre-cast foundations.

Levereras monterad för fastbultning mot mark alternativt vägg. Bult ingår ej.

Pergola Arch kan på begäran levereras med kranbil för uppställning på plats.

### **Maintenance**

#### **Powdercoated steel**

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

#### **Hot dip galvanized steel**

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### **Versions**

1st väggfast modell samt 3st markfasta.

För Pergola Arch med LED belysning gäller följande:

Ellucka för kopplingsdon transformator i bågens nedre del.

Ljuspunkter med infälld LED-belysning i bågens horisontella del.

## Designers

---

### Nordfjell Collection



