


nola®



## Arki Litterbin

### Design Jessing

Arki is an efficient design, created in a durable, streamlined form that is easy to maintain. Whether attached to a wall or fastened to a post, Arki can cope with a crush of human traffic and significant amounts of use. The litterbin's lockable design adds security while still being easy to unlock and empty. Not available for export.



#### Dimensions and weight

Width: 52 cm

Height: 61 cm

Depth: 25 cm

Vikt: 28 kg

Height including ground-mounted post: 111 cm.

Volume: 90 liters.

Post: 24 cm x 12 cm.

#### Product numbers and combinations

Ö71-00VM - Arki papperskorg varmförzinkade inklusive markfast stativ.

Ö71-00PM Arki papperskorg varmförzinkad och pulverlackerad.

RAL 7021 struktur standard inklusive markfast stativ.

Ö71-01V Papperskorg Arki varmförzinkad väggfast.

Ö71-01P Papperskorg Arki varmförzinkad och pulverlackerad i RAL 7021, väggfast.

U19-38 Startkostnad valfri färg.

#### Append to product number

##### INSTALLATION TYPE

M for in-ground.

V for mounted to wall.

#### Standard colours



RAL 7021

#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

## Assembly and placement

### Freestanding

Freestanding product that is placed directly on the ground.

### In-ground

Cast in ground.

### Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Some assembly required.

## Maintenance

### Powdercoated steel

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

## Character

A streamlined, lockable litterbin made to withstand a significant amount of use. Arki is a good choice for areas with large volumes of human traffic.

## Designers

---

## Jessing

---