


nola®



Plymå Indoor Bench

Design Mattias Stenberg

Plymå is a generously-proportioned seat made for indoor use. Plymå's seat and optional backrest are made from waxed ash, sculpted into cushion-like shapes that have a slight sheen. The table surfaces are crafted from gray limestone and integrated into the overall design, which is underpinned by a slender steel base. Designed especially for public spaces, Plymå conveys a sense of softness rarely seen in industrial furniture.



Dimensions and weight

Length: 220 cm
 Width: 93 cm
 Height: 69 cm
 Sitting height: 45 cm

Plymå backed bench Length: 220 cm Depth: 93 cm Total height: 69 cm Height of seat: 45 cm Height of steel base: 36 cm Plymå concrete Length: 220 cm Depth: 93 cm Total height: 69 cm Height of seat: 45 cm

Product numbers and combinations

U30-10 Plymå backed bench, white waxed ash and sandstone, for indoors
 U30-10B Plymå backed bench, concrete and pine, outdoor use
 B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

Append to product number




METAL SURFACE FINISH

C for any color other than standard, at additional cost.

INSTALLATION TYPE

N for surface mount.

Standard colours

 RAL 1023
 NCS S 8000-N (Grå)
 Noir 2200 Sablé

Materials and surface treatments

White-stained Ash.
 Fiber Concrete.
 Kalksten.

Concrete

Concrete is cement mixed with crushed stone or aggregate. The material is very strong in compression but fragile in tension. To compensate for this concrete can be reinforced, often with steel.

Fiberbetong

Fibre-reinforced concrete is a concrete mix with glass fiber. The material has increased strength and elasticity.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Ash

Ash wood is light, hard and tough, bends easily and is light in colour. The wood has clear annual rings and, thanks to its natural properties, is often used for furniture, carpentry and flooring.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Mounted.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Concrete

Both normal concrete and fibre-reinforced concrete are sensitive to hard edge impacts. A concrete product that has been damaged can be repaired with polyester filler, such as the product "Plastic Padding".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Available in two different versions, for in- or outdoor use.

Character

Contemporary indoor bench with smooth curves. Plymå concrete is an version for outdoor use.

Designers

Mattias Stenberg

Designer Mattias Stenberg runs his own designstudio in Stockholm. Stenberg works within a variety of fields including interior architecture, furniture design and light design. Since the start of the studio in 2010, Stenberg has received several awards and mentions for his designs, including German Design Award, Good Design Award and Nordic Designer of the Year.



