

nola®




## Regnskördartunnan Rain Barrel

Design Urbio

Rain harvesting systems conserve water that would otherwise be wasted. This contemporary rain barrel connects to gutters and drainpipes to fill itself during rainfall. The tap integrated into the container enables water to flow out when it is needed for irrigating plants or cleaning outdoor surfaces. Channelling rainwater into containers helps safeguard against damages that heavy rainfall can cause.

CERTIFICATION





#### Dimensions and weight

##### Ö13-85 Rain barrel Large

Volume: 500 Litres

Length: 75.5 cm

Width: Barrel: 75.5 cm. Overall width: 97.9 cm

Height: 105 cm excluding plinth. Total height: 131 cm

Weight: 136,5 kg

##### Ö13-86 Rain barrel Small

Volume: 180 Litres

Length: 89.5 cm

Width: Barrel: 60 cm. Overall width: 82.5 cm

Height: 50 cm excluding plinth. Total height: 76 cm

Weight: 93 kg

#### Product numbers and combinations

Ö13-85 Regnskördartunnan, Rain Barrel, large 500 liters

Ö13-86 Regnskördartunnan, Rain Barrel, small 180 liters

B11-06 Startup cost for powder coating steel in a color other than standard.

Ö13-85TH Cover hood for Regnskördartunnan large

Ö13-86TH Cover hood for Regnskördartunnan small

#### Append to product number

##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

M for installation in pre-cast foundations.

#### Standard colours



Gris 2900 Sablé

#### Materials and surface treatments

##### Stainless steel

Stainless steel is an iron alloy with at least 10.5% chromium that often has good resistance to corrosion (rust) and other chemical attacks. A common misconception about stainless steel is that it does not rust at all; it can in fact corrode, especially in environments near the sea with high humidity.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### **Assembly and placement**

#### **Installation in pre-cast foundations**

Posts for installation in pre-cast foundations.

Delivered partially assembled.

### **Versions**

Rain harvesting barrel of 500 liters and 180 liters respectively.

Standard color: Pig 2900 Sablé

### **Character**

Functional rain harvester barrel in two different sizes, which collects and helps to use rainwater / stormwater.

### **Designers**

---

#### **Urbio**



