

nola®




Share Chair System

Design Thomas Bernstrand

The Share system makes public space seating more mobile, allowing individuals to pick up a lightweight chair and choose their place to sit. Like supermarket trolleys, Share chairs are equipped with coin-operated locking mechanisms. The locking mechanisms can be operated by a coin or a token, encouraging users to return the chairs to the immovable base after use. The system is made for urban parks, city squares, beachfront areas and leisure centres.

CERTIFICATION





Dimensions and weight

Width: 57 cm
 Height: 74 cm
 Sitting height: 43 cm
 Depth: 58 cm
 Weight 7 kg

Individual dimensions

The frame is made in bent pipe steel: 25 mm x 1,5 mm
 The seat is made in steel plate 1,5 mm thick

Product numbers and combinations

U11-91 Share Chair with coin lock.
 U11-90M Locking arch for attachment. In-ground.
 U11-90N Locking arch for attachment. Surface mount.
 U11-93 Share, customer Chair package with 6 chairs, with locking function and 1 arch for attachment.
 B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

Append to product number

METAL SURFACE FINISH

G for RAL 1018 (Yellow)
 C for any color other than standard, at additional cost.

VARIANTS

U for Share without coin lock.
 /TEXT for any text, start-up cost is added.

INSTALLATION TYPE

M for in-ground.
 N for surface mount.

Standard colours

 RAL 1018

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Bågarna gjutes i mark alternativt bultas mot mark/golv. Bult ingår ej.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

With base unit prepared for bolting to the surface or made with extended legs for securing beneath the ground.

Character

These lightweight outdoor seats are equipped with coin-operated mechanisms that lock them to each other when not in use.

Designers

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

