



Share Stool

Design Thomas Bernstrand

Share is a perfect furniture series for parks, cities and roof terraces where you want a steady public seating solution that can also be moved around. Lock and stack during storage. The Share chair have a comfortable back slope and lower seat height. We are happy to laser cut the name of the park into the seat/back surfaces of the furniture and it is also possible to order Share without a lock function. They're stackable anyway!

CERTIFICATION



Dimensions and weight

Share Chair System

Width: 57 cm
Height: 74 cm
Sitting height: 43 cm
Depth: 58 cm
Vikt: 7 kg

Individual dimensions

The frame is made in bent pipe steel: 25 mm x 1,5 mm
The seat is made in steel plate 1,5 mm thick

Share Stool

Sitting height: 48 cm
Ø: 35 cm
Depth: 58 cm

Product numbers and combinations

B11-06 Startup cost for powder coating steel in a color other than standard.
Choose a RAL colour.

U11-91 Share Chair with coin lock.

U11-90M Locking arch for attachment. In-ground.

U11-90N Locking arch for attachment. Surface mount.

U11-93 Share, customer Chair package with 6 chairs, with locking function and 1 arch for attachment.

U11-92 Share Stool with lock function.

U11-92M Share Stool holder for locking. In-ground.

U11-92N Share Stool holder for locking. Surface mount.

U11-92/PKT Share, customer Stool package with 6 stools, with locking function and 1 arch for attachment.

Append to product number

METAL SURFACE FINISH

G for RAL 1018 (Yellow)

C for any color other than standard, at additional cost.

VARIANTS

U for Share without coin lock.

/TEXT for any text, start-up cost is added.

INSTALLATION TYPE

M for in-ground.

N for surface mount.

Standard colours

 RAL 1018

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement**Freestanding**

Freestanding product that is placed directly on the ground.

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

All furniture is delivered fully assembled. Bolt for fastening pallet holder or locking arch is not included.

Maintenance**Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Chair, Lounge recliner, stool and pallet holder and locking arches

Designers

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.

