

nola®



## Siri Trellis

**Design Bernt Fröderberg**

Siri is a freestanding steel trellis that lends itself to a number of different applications. On its own, Siri provides an eye-catching frame that moulds plants into a topiary shape. Place several in a row, and they resemble freestanding columns, or line both sides of a path. Siri is also an attractive complement to flower beds, containers and large planters.

## Dimensions and weight

### Small Siri

Height above ground: 212 cm

Height when placed inside a planter: 266 cm

Largest Ø: 55 cm

Weight: 16 kg

### Large Siri

Height above ground: 311 cm

Height when placed inside a planter: 398 cm

Largest Ø: 82 cm

Weight: 40 kg

### Individual dimensions

Pipe steel: 25 mm x 2 mm

The rings of flat steel: 50 mm x 3 mm

## Product numbers and combinations

Ö20-16 Siri växtstöd, 266 cm

Ö20-15 Siri växtstöd, 391 cm

### Append to product number

#### METAL SURFACE FINISH

V for only hot-dipped galvanised.

VL for hot-dipped galvanised with a black-lacquer finish.

## Standard colours



RAL 9005



Hot-dip galvanized steel

## Materials and surface treatments

### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## Assembly and placement

Fully assembled.

The trellis is made with extended supports for mounting to the ground. Note that when placed into a container or a planter, the trellis must be extended through the bottom and mounted to the surface below, making it necessary to puncture the container to push the ground-mounting supports through to the surface beneath.

## Maintenance

Glans 40. Pulverlack går att beställa på sprayflaska.

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Versions

Available in two sizes: a large version for ground-mounting and a smaller version for placing in containers and large planters. Both versions should be secured to the surface beneath them, making it necessary to puncture the container and push the ground-mounting supports through to the surface beneath.

## Character

Siri is a freestanding trellis that moulds plants into a topiary shape. It is an attractive complement to flower beds, containers and large planters.

## Designers

---

Bernt Fröderberg







