

nola®




Sparta Park Bench

Design Camilla Wessman

Sparta's sleek form makes it popular as a permanent fixture, yet its foldable design makes it easy to store away. By loosening a screw in each armrest, the backrest folds level with the seat and the legs tuck neatly underneath. The bench can be stored easily, and several can be stacked together in a compact space. Sparta is an ideal choice for environments that require furniture that has to be stored out of season.

CERTIFICATION

Produkt listad i
Svanens Husportal 



Dimensions and weight

Length: 169 cm
 Width: 61 cm
 Height: 85 cm
 Sitting height: 45 cm
 Sitting depth: 43 cm
 Weight 44 kg

Individual dimensions

The square pipe in the frame: 40 mm x 40 mm x 1.5 mm
 Flat steel: 30 x 3 mm
 Angle steel: 40 x 40 x 3 mm
 Wood: 67 mm x 38 alternatively 67 mm x 42 mm

Product numbers and combinations

U11-30 Sparta soffra i ek, svart alternativt grått stativ.
 U11-31 Sparta soffra i furu grön, svart stativ.
 U11-32 Sparta soffra i furu rödbrun, svart stativ.
 U11-33 Fastsättningsjärn till Sparta soffra, sats om 2 st.

Append to product number

WOOD AND FINISH

EK for oiled oak.

MH for oiled mahogany.

A for alkyd oil enamel on pine light green NCS S 6010-G10Y.

H for alkyd oil enamel on pine reddish brown NCS S 4550-Y80R.

C for any color other than standard, starting cost is added.

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard colours

- NCS S 6010-G10Y (Grön)
- NCS S 4550-Y80R (Röd)
- Noir 2200 Sablé
- Gris 2900 Sablé
- Oiled oak

Oiled mahogany

Materials and surface treatments

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered fully assembled. Unfold the bench and it will stand upright.

Maintenance

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Character

Sparta's foldable design makes it easy to store away. It is an ideal choice for environments that require portable furniture.

Designers

Camilla
Wessman



