


nola®



## St Knut Seat and Tabletop

Design Martin Mårtensson

St Knut has a spontaneous character, encouraging users to cluster several together for impromptu meetings, or move it away to make a quiet phone call. An indoor/outdoor design, St Knut's tabletop provides space for mobiles, tablets and laptops, or coffee and snacks. The design is lightweight and stackable, easy to move and simple to store. St Knut promises to become an outdoor office favourite.



#### Dimensions and weight

Width: 55,7 cm  
 Height: 74,8 cm  
 Sitting height: 49,4 cm  
 Ø: 34 cm

Width: 45 cm Height: 74 cm Depth: 55 cm Seat Ø: 32 cm

#### Product numbers and combinations

U12-01 St Knut stool  
 B11-06 Startup cost for powder coating steel in a color other than standard

#### Append to product number

##### WOOD AND FINISH

EK for oiled oak.

##### METAL SURFACE FINISH

C for stand any color other than standard, starting cost is added.

#### Standard colours

 RAL 1005

#### Materials and surface treatments

##### Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

##### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## Assembly and placement

### Freestanding

Freestanding product that is placed directly on the ground.

Assembled

## Maintenance

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

### Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Character

Simple stackable, free-standing stool with practical side table for storage.

## Designers

---

Martin



Mårtensson

---