

nola®



Sturup Planter

Design Monika Gora

The Sturup planter provides a contemporary accent to any outdoor space. Its sleek surface is free of embellishment or decorative detailing, while its smooth, round shape emphasises the robust beauty of cast concrete. The planter's rounded contours give way to a flat bottom surface that attaches to the ground beneath it. Sturup's substantial size is large enough to grow shrubs in, making it possible to restore plant life to areas covered in concrete.

CERTIFICATION

 **SundaHus**

Dimensions and weight

Height: 60 cm
Ø: 100 cm
Weight 280 kg

Diameter of bottom surface: 20 cm.

Volume: 225 L.



Individual dimensions

The diameter of the drainage hole is 50 mm.

Product numbers and combinations

Ö16-38G Sturup, grå.
Ö16-39G Planteringsinsats för grå.
Ö16-40BT16 Mona bevattningstank, 16lit.
Ö16-41 Förankringsbult M20, plattstålsbricka.
Ö16-38A Sturup antracitgrå.
Ö16-39A Planteringsinsats för antracitgrå.

Standard colours

 Infärgad antracitgrå betong
 Ljust grå betong ofärgad

Materials and surface treatments

The planter is made from reinforced concrete. The inner container is made from 4 mm reinforced plastic equipped with four foldable metal hooks.

Concrete

Concrete is cement mixed with crushed stone or aggregate. The material is very strong in compression but fragile in tension. To compensate for this concrete can be reinforced, often with steel.

Coloured concrete

Colored concrete is concrete in a color other than standard grey. Pigment is added to the dry mixture, which means that the concrete becomes coloured throughout. Each color has its own recipe.

Assembly and placement

Fully assembled.

Attaches to the surface with one M20 bolt. The bolt is not included.

Maintenance

Concrete

Both normal concrete and fibre-reinforced concrete are sensitive to hard edge impacts. A concrete product that has been damaged can be repaired with polyester filler, such as the product "Plastic Padding".

Coloured concrete

Products made of coloured concrete are washed with a pressure sprayer at low pressure. Damaged products can be repaired with a repair kit that is available to order.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The planter is available in standard grey concrete or coloured in terracotta or anthracite.

Character

Sturup's sleek surface is free of embellishment or decorative detailing, while its smooth, round shape emphasises the robust beauty of cast concrete.

Designers

Monika Gora



