nola



SunSet Furniture Group

Design Mats Aldén

The SunSet group is contemporary in style, yet honours the tradition of Scandinavian wood furniture. The group includes an armchair and round table crafted with a slatted ipé surface inspired by rays of sunshine. The lightweight frames are made in zinc-electroplated powder-coated steel, making the products easy to move and stack. The group is designed with outdoor areas in mind, perfect for places where the evening sunset can be enjoyed.

CERTIFICATION Produkt listad i Svanens Husportal

FEATURES

Dimensions and weight

Round table: Outer diameter: 110 cm, Inner diameter: 15 cm Height (including adjustable feet): 71.5 cm Weight: 36 kg, Supplementary part: 110 cm

Rectangular table: 200 x 90 cm. Height 73 cm + adjustable feet.

Square table: 80 x 80 cm. Height 73 cm + adjustable feet.

Armchair: Height: 83 cm, Seat height: 48 cm Width: 60.6 cm, Depth: 53.7 cm Weight: 11 kg

SunSet chair & armchair

U11-50 SunSet Armchair high back version Width: 61 cm Depth: 57 cm Height: 97 cm Seat height: 45 cm Seat depth: 43 cm Seat width: 47 cm Armrest height: 70 cm Weight: 13 kg

U11-54 SunSet Armchair

Width: 61 cm Depth: 57 cm Height: 85 cm Seat height: 46 cm Seat depth: 43 cm Seat width: 47 cm Armrest height: 70 cm Weight: 11 kg

SunSet Table

U11-48 SunSet Rectangular table Height: 76 cm Length: 200 cm Width: 90 cm Weight: 40 kg

U11-49 SunSet Square table

Height: 76 cm Length: 80 cm Width: 80 cm Weight: 13 kg

U11-53 SunSet Round table

Height: 76 cm Diameter: Ø 110 cm

	Parasol hole inner diameter: 15 cm
	Weight: 32 kg
	U11-53P SunSet Extension part for round table
	Dimensions are when assembled with the round table.
	Height: 76 cm
	Total length: 220 cm Width: 110 cm
	Parasol hole inner diameter: 15 cm
	Weight: 22 kg
Product numbers and	B11- Additional charge for steel version painted in any choice of standard RAL
combinations	06 colours (as indicated by product codes ending in the letter C)
	U11-50 SunSet armchair high-back version
	U11-54 SunSet armchair
	U11-48 SunSet table, rectangular version, 200 cm x 90 cm, oiled oak with frame
	in Pure White RAL 9010 Fine Structure
	U11-49 SunSet table, square version, 80 cm x 80 cm, oiled oak with frame in Pure
	White RAL 9010 Fine Structure U11-53 SunSet table, round version, 110 cm diameter, oiled oak with frame in Pure
	White RAL 9010 Fine Structure
	U11- SunSet table, tabletop extension for round version, oiled oak with frame in
	53P Pure White RAL 9010 Fine Structure
	Append to product number
	WOOD AND FINISH
	E for oiled oak.
	SIOO for sioo:x treatment oak.
	METAL SURFACE FINISH
	C for any color other than standard, at additional cost.
Standard colours	RAL 9010
	Oiled oak
	SiOO:X treatment oak
Materials and surface treatments	Oak Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable
treatments	in case of moisture changes. Oak wood blackens if it is exposed to moisture or
	wetness for a long time. However, it does not affect the other properties of the
	wood. Thanks to its hardness and toughness, the oak wood is suitable for
	furniture and other use in exposed environments.
	Wood oil
	Wood oil provides good protection against the stresses of the outdoor climate
	and at the same time highlights the wood's natural appearance and properties.

SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and nonstick. Active and preventive action against algae, mould and pests. Also rotproof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement	Freestanding Freestanding product that is placed directly on the ground. Assembled.
Maintenance	Finstruktur SK 1. Pulverlack går att beställa på sprayflaska.
	Powdercoated steel Products that are powder-coated can be touch-up painted with alkyd paint.
	Oiled oak Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.
	SiOO:X treatment oak Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). After 12 - 18 months, for best durability, the surface should be treated once more with Sioo:x Premium Ytskydd Altan. It is important to keep the product clean, otherwise the surface protection can be destroyed. Products that are exposed to heavy mechanical wear may need extra treatments.The surface treatment has a tested effect according to the standards EN 46 and EN 113.
	For information about the Sioo treatment see the website <u>www.sioox.se</u> .

	Read more in our general maintenance advice at nola.se/en/care-and-
	maintenance
Versions	Karmstol. Fåtölj med högre rygg. Bord i flera varianter.
Character	The Sunset furniture group is contemporary in style, yet created with wooden
	surfaces that honour the tradition of Scandinavian wood furniture.
Sustainability	CO2-eq: 33,75 kg CO2
	Energy consumption: 2088,85 MJ
	Recycled materials: 0,16 %
	SunSet chair & armchair
	CO2-eq: 25,27 kg CO2
	Energy consumption: 816,93 MJ
	Recycled materials: 0,32 %
	SunSet Table
	CO2-eq: 33,75 kg CO2
	Energy consumption: 2088,85 MJ
	Recycled materials: 0,16 %
	View EPD for details

Designers

Mats Aldén

Interior and furniture designer, crafter and tutor living in Stockholm. Educated at Aarhus School of Architecture, Denmark. Has his own design studio and workshop in Stockholm since 1995. Has worked as a professor and artistic leader at Steneby HDK, as a lecturer at Konstfack University College of Arts, Crafts & Design and as a guest teacher at Beckmans Design College.





















