

nola®



## Nordfjell Collection Planter

### Design Nordfjell Collection

Planters in the Nordfjell Collection are available in cylindrical, rectangular and square forms. The various planters have insulation against heat or cold, and a water drainage pipe to protect plants from over-watering due to rain. Select a variant with wheels for added flexibility!

## Dimensions and weight

### Product numbers and combinations

- V01-01 Square planter depth: 50 x width: 50 x height: 60 cm  
V01-02 Square planter depth: 45 x width: 45 x height: 50 cm, indented edge  
V01-14 Square planter depth: 60 x width: 60 x height: 70 cm, indented edge  
V01-03 Rectangle planter depth: 45 x width: 200 x height: 50 cm, indented edge  
V01-04 Rectangle planter depth: 45 x width: 100 x height: 50 cm, indented edge  
-  
V01-06 Cylinder planter 60 cm, height 50 cm  
V01-07 Cylinder planter 80 cm, height 60 cm  
V01-08 Cylinder planter 100 cm, height 70 cm  
V01-09 Cylinder planter 90 cm, height 38 cm  
V01-10 Cylinder planter 100 cm, height 38 cm  
V01-11 Cylinder planter 120 cm, height 38 cm  
V01-12VFZ Cylinder planter 45 cm, height 50 cm  
V01-13 Cylinder planter 80 cm, height 38 cm

### Append to product number

#### METAL SURFACE FINISH

VFZ for only hot-dip galvanized steel.

RF for stainless steel

G for powder-coated steel in Gris Sablé 2900 (grey).

S for powder-coated steel in Noir Sablé 2200 (black).

C for any color other than standard, starting cost is added.

#### VARIANTS

H for hidden swivel wheels and locking.

V for vertical edge.

Mona Link watering system is ordered separately.

Get in touch with us at Nola if you are interested in other sizes of the planters!

Note! If you want to use the planter indoors, you must let us know when ordering.

### Standard colours



Noir 2200 Sablé



Gris 2900 Sablé



Hot-dip galvanized steel

### Materials and surface treatments

#### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

#### Stainless steel

Stainless steel is an iron alloy with at least 10.5% chromium that often has good resistance to corrosion (rust) and other chemical attacks. A common misconception about stainless steel is that it does not rust at all; it can in fact corrode, especially in environments near the sea with high humidity.

### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

### Zinc powder primer

It's a thermosetting epoxy powder coating primer that can be applied on several type of metal substrates such as aluminium, steel or galvanized steel. This primer has a robust curing window, allowing excellent inter coat adhesion in direct fired ovens and gives very good edge coverage and superior corrosion protection.

### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## Assembly and placement

### Freestanding

Freestanding product that is placed directly on the ground.

Levereras monterade.

## Maintenance

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)

## Versions

Kvadrat planter with or without wheels.

Vertical edges or with horizontal flat edge.

Three sizes width x length x height:

500 x 500 x 600 mm. Weight 32Kg

450 x 450 x 500 mm. Weight 21.5Kg

600 x 600 x 700 mm. Weight 38.5Kg

Rektangel planter with or without wheels.

Vertical edges or with horizontal flat edge.

Two sizes width x length x height:

450 x 2000 x 500 mm. Weight 87Kg

450 x 1000 x 500 mm. Weight 43Kg

Cylinder planter without or with retracted bottom with hidden swivel and lockable wheels.

Eight sizes diameter x height:

450 x 500 mm. Weight 20.5Kg

600 x 500 mm. Weight 28.5Kg

800 x 600 mm. Weight 47Kg

1000 x 700 mm. Weight 70Kg

800 x 380 mm. Weight 34Kg  
900 x 380 mm. Weight 40Kg  
1000 x 380 mm. Weight 46.5Kg  
1200 x 380 mm. Weight 60Kg

NOTE, if you are going to have the planting vessel indoors, you must notify it when ordering.

## Designers

---

### Nordfjell Collection



