


nola®



## Ultuna Park Bench

Design Daniel Ericsson & Bengt Isling

This double-sided, high-backed bench is a contemporary take on park benches. Ultuna is an excellent choice for sidewalks, city plazas, shopping centres and transport hubs. Each end is steel, providing supports for the slats of oiled oak forming the seat and backrest. Wider and deeper than most public space benches, the generous surfaces provide extra comfort. The height of the backrest makes Ultuna an effective way to divide space.



#### Dimensions and weight

Length: 306 cm  
 Width: 168 cm  
 Height: 156 cm  
 Sitting height: 50 cm

#### Product numbers and combinations

**U30-20** Ultuna Park bench  
**B11-06** Startup cost for powder coating steel in a color other than standard.  
 Choose a RAL colour.

#### Append to product number



##### WOOD AND FINISH

EK for oiled oak.  
 SIOO for sioo:x treatment oak.

##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

#### Standard colours

 RAL 5021  
 Noir 2200 Sablé

#### Materials and surface treatments

##### Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

##### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

##### SiOO:X treatment

Sioo:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use Sioo mainly for our oak furniture. Sioo:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

### **Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## **Assembly and placement**

Delivered assembled.

The sofa is buried 20 cm below the finished ground.

## **Maintenance**

### **Oiled oak**

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

### **SiOO:X treatment oak**

Sioo:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). After 12 - 18 months, for best durability, the surface should be treated once more with Sioo:x Premium Ytskydd Altan. It is important to keep the product clean, otherwise the surface protection can be destroyed. Products that are exposed to heavy mechanical wear may need extra treatments. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the Sioo treatment see the website [www.sioox.se](http://www.sioox.se).

**[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](http://nola.se/en/care-and-maintenance)**

## **Character**

Sofa with wooden slats, high back and generous seating.

## **Designers**

---

**Daniel  
Ericsson**



## Bengt Isling

Landscape Architect, LAR / MSA, Stockholm. Triple winner of the prestigious Siena prize. Co-worker and first landscape architect at Nyréns Architectural Office.



Ultuna soffa i i Sloox behandlad ek och pulverlackad stål. Förgyllar Kärrtorps centrum, söder om Stockholm. Foto: Foto: Åke E:son Lindman

