nola



Vejby Furniture Group

Design Peter Brandt

Vejby's sturdy frames and solid wooden slats create stability and strength, while the angled backrests and wide seats add comfort and style. The evenly-spaced slats in the seating and table surfaces enable rainwater to run off easily. The backed bench can be paired with the armchair and table to create a dining suite or an outdoor lounge area. We recommend pairing the Hjorthagen table with the seating in this furniture group.

CERTIFICATION Produkt listad i Svanens Husportal DE BEGEMANNEEN SSundaHus

Vejby Sofa

Length: 180 cm Width: 54 cm Height: 84 cm Armrest height: 67 cm Sitting height: 45 cm

Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm Frame thickness: 56 mm Back board: 32 x 160 mm The feet are equipped with plastic paws

Vejby Table

Length: 180 cm Width: 79 cm Height: 73,5 cm

Individual dimensions

Wood components: 32 x 68 mm Frame thickness: 56 mm The feet are equipped with plastic paws

Vejby armchair

Width: 62 cm Height: 84 cm Armrest height: 67 cm Sitting height: 45 cm Depth: 54 cm

Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm Frame thickness: 56 mm Back board: 32 x 160 mm The feet are equipped with plastic paws

Product numbers and combinations

U16-47G Vejby Sofa, glazed pine, light gray

U16-55 Fastening iron for Vejby, 4 stainless steel

U16-48G Vejby table, glazed pine, light gray

U16-49G Vejby armchair glazed pine, light gray

U16-55 Fastening iron for Vejby, 4 stainless steel.

Append to product number

WOOD AND FINISH

C for any color other than standard, at additional cost.

INSTALLATION TYPE

N for surface mount.

Nola® • Vejby furniture group • Page 2 / 4

Standard colours	NCS S 2502-Y
Materials and surface treatments	The feet are fitted with plastic caps. Pine Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces. Water-based glaze Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.
Assembly and placement	 Freestanding Freestanding product that is placed directly on the ground. Surface mount Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included. Delivered in parts for easy assembly. The seat and back bolt to the frame with the bolts provided.
Maintenance	Water-based glazed pine Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order. <u>Read more in our general maintenance advice at nola.se/en/care-and- maintenance</u>
Character	Vejby's solid wooden frame and sturdy slats give the furniture stability and strength, while the angled backrest and wide seat make the bench and armchair comfortable to sit in.

Peter Brandt

Peter Brandt is a designer and interior architect living in Stockholm. Educated at Kungliga Konsthögskolan, the Konstfack University College of Arts in Stockholm, Crafts and Design, and Kunstakademiets Arkitektskole in Cophenhagen. He has received several awards over the years as *Excellent Swedish Design* and is represented at the *Nationalmuseum*.





