nola



Wait – New Product! Furniture Group

Design White Arkitekter

Wait is a modular seating system designed for public spaces where durability and flexibility are key. Available as standalone armchairs, two- and three-seater sofas, or extendable configurations, the system adapts to various environments and needs.





Dimensions and weight

U20-10 Wait 1-seater Stool Width: 55 cm Depth: 55 cm

Height: 48 cm

U20-11 Wait 2-seater Bench

Width: 112.5 cm Depth: 55 cm Height: 48 cm

U20-12 Wait 3-seater Bench

Width: 170 cm Depth: 55 cm Height: 48 cm

U20-13 Wait 1-seater Armchair

Width: 62 cm Width without armrests: 56 cm Depth: 62 cm Seat depth: 47 cm Height: 82 cm Seat height: 48 cm Armrest height: 66 cm

U20-14 Wait 2-seater Sofa

Width: 119 cm Width without armrests: 113 cm Depth: 62 cm Seat depth: 47 cm Seat height: 82 cm Seat height: 48 cm Armrest height: 66 cm

U20-15 Wait 3-seater Sofa Width: 176 cm

Width without armrests: 170 cm Depth: 62 cm Seat depth: 47 cm Seat height: 82 cm Seat height: 48 cm Armrest height: 66 cm

Product numbers and combinations

U20-10 Wait 1-sits Bench U20-11 Wait 2-sits Bench U20-12 Wait 3-sits Bench U20-13 Wait 1-sits Sofa U20-14 Wait 2-sits Sofa U20-15 Wait 3-sits Sofa

Append to product number

METAL SURFACE FINISH

C for any color on steel, at an additional cost.

Stoppad sits, inklusive klädning, exklusive tyg.

Standard colours



Materials and surface treatments

treatments	Powder coated steel. Upholstered seat on saddle ground with optional fabric. Kvadrat Jaali 461. Steel Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated. Electrogalvanized Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current. Powder coating Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike
	conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.
Assembly and placement	Freestanding Freestanding product that is placed directly on the ground. Seat and frame are delivered separately and assembled in place.
Maintenance	Damaged steel details are re-painted with alkyd paint if needed. Upholstery removable.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-andmaintenance

Available for indoor use with one-seater, two-seater or three-seater with upholstered seat in fabric, and for outdoor environments such as three-seater seat in wood.

Character

Versions

Backed bench developed for waiting environments with a clear environmental focus and circular thinking in the design process.

Designers

White Arkitekter

White Arkitekter is one of Sweden's leading architectural offices. With a focus on sustainable architecture, design and city planning, they aim to work for both the current and future generation. White Arkitekter's aim is to through architecture be able to drive the transition towards a sustainable life.





