

nola®



Wave Bench

Design Gunilla Hedlund

The award-winning Wave bench signals a new direction for outdoor furniture, revealing how much impact sculptural shapes can have in public space. Wave's form is created by ribbons of steel that appear to capture fluid movements in their curves. The bench's unique design provides a comfortable surface that enables water to run off, drying quickly after rainy weather.

Dimensions and weight

Length: 132 cm
Width: 41 cm
Height: 53 cm
Weight 61 kg

Individual dimensions

The steel pieces in the frame: 40 mm x 12 mm
The base: 410 mm x 80 mm x 39 mm

Product numbers and combinations

U22-16 Wave bench 2 seated
U22-18 Fastening iron 2 pieces
B11-06 Startup cost for powder coating steel in a color other than standard

Append to product number

METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard colours



Gris 2900 Sablé

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Recycled sand cast aluminium

Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Assembled.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Sand cast aluminium

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

Powder coated Aluminium

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Character

An icon among furniture made for public space, the Wave bench adds a sculptural shape to outdoor areas.

Designers

Gunilla Hedlund

